

kana[®]

Roller refills
Accessories

5-30

kana[®]

Paint Brushes

31-42

masq[®]

Combi-masq
Masking tapes

43-50

prep[®]

Covering material
Painting tools
Accessories

51-70

Sales network

Dear Customer,

We are pleased to present to you our new product overview for our KMP assortment.

The assortment is divided into four categories, offering all you need to meet your specific requirements:

kana KANA paint rollers and accessories*

kana KANA brushes

masq MASQ products for masking

prep PREP products for surface preparation

Take advantage of all the experience and benefits of the Storch-Ciret Group with over 110 years activity in painting tools from our own production facilities in Europe and Asia, and our logistic centers throughout Europe!

E^{COLOR} EXPERT Please note, that to Ciret also belongs our Color Expert assortment for dealers of paint, who which to offer painting tools only in an integrated P.O.S. - System.

Please ask for details.


* According to the brand policy of the Storch - Ciret Group, in future ROTA brand it is planned to use as well for this section in Central- and Eastern Europe (CEE), CIS and Russian Federation.


 Region Eastern Europe +
+ Asia

 Region Western Europe

 Daughter Company Code

 Sales company

 Production site

 Logistic center



Sales network



The map below shows an overview about our sales network, marked those regions, where our product range is available.

The Western- and South-European region works as well as China in a separate business unit, with a product range and its catalogue, what is adjusted to the region's specialties.

With own daughter companies throughout Central Eastern Europe as well in Russia we are looking for a professional partnership with You.

Regards:

Āeněk Gintar

sales director Ciret s.r.o., Czech Republic



Production

Competence in production

Our facility in Pelhrimov (CZ) has more than 400 employees and is one of the biggest factories for producing coating applicators and preparator products including big & small paint rollers, seam rollers, roller handles, paint trays, paint grids, masking tapes & Combi-masq (CoverQuick) in Central Europe.

Complete with over 400 employees in our productions including aswell paint brushes in China and over 100 employees in Research & Development and production of foam rollers and special machines in Germany, we are able to offer you coating applicators and preparator products, which fulfil our own criteria in regards of a stable and controlled quality.



Logistic centers



Logistic centers

Beside the logistic centers in Berka and Vacha in Germany, 6 additional logistic centers serve our customers for Central and Eastern Europe:

- ▶ Pelhrimov (Czech Republic)
- ▶ Bucharest (Romania)
- ▶ Sofia (Bulgaria)
- ▶ Riga (Latvia)
- ▶ Moscow (Russia)
- ▶ Novosibirsk (Russia)

Our logistic centers send more than 130.000 pallets of goods and 340.000 shipments per year to our customers, with an average delivery attainment of 97%.

KANA paint rollers


▶ Paint rollers and refills were developed quite recently - first time in the 1980-s.

The EU directive regarding volatile organic compound content of painting materials (cancer-causing solvents) - whose last step is valid since 2010 (VOC2010) brought considerable changes in the requirements for the paint rollers as well as the changes in the compounds of the plasters and facade insulation system compounds.

As producers we follow these changes always accurately, in order to develop continuously enhanced rollers and refills from a suitable assortment of plushes and production technology, which work optimal with the new paints.

Usability, covering capability, surface finish optic must be harmonized to each other in a good paint roller.

Common tests with the biggest paint- and other material producers - as the base for our developments are standard since years.



Explanatory texts



XX mm



Pile height



XX mm

Core diameter

X mm



Handle diameter




Paint rollers & accessories

- 7 Large surface paint rollers
- 14 Small surface rollers
- 22 Corner rollers
- 23 Special rollers
- 24 Roller sets
- 28 Roller handles
- 29 Paint trays, wipe grids & buckets
- 30 Extension poles
- 30 Other accessories



Polyester paint rollers

1




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Polyester - 18 mm
sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
84 15 18 10	18 cm	8 mm	44 mm	B	EAN+i	5	
84 15 25 10	25 cm	8 mm	44 mm	B	EAN+i	5	

2




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VESTAN - 18 mm
polyester, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
200 215	18 cm	6 mm	44 mm	B	Kana	5	
200 217	25 cm	6 mm	44 mm	B	Kana	5	

3




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VESTAN - 18 mm
polyester, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
200 215 553	18 cm	6 mm	44 mm	+ 1	B	Kana	5
200 217 753	25 cm	6 mm	44 mm	+ 1	B	Kana	5

4




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

LIKELAN - 20 mm
polyester, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
100 685	18 cm	8 mm	44 mm	B	Kana	5	
100 687	25 cm	8 mm	44 mm	B	Kana	5	

5




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANALINE - 18 mm
polyester, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
100 087	25 cm	8 mm	44 mm	B	Kana	5	

6





- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANALINE - 18 mm
polyester, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
200 087 751	25 cm	6 mm	44 mm	+ 1	B	Kana	5

Polyester paint rollers

1





Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
300 087	27 cm	8 mm	52 mm	B	Kana	5	
400 087	27 cm	8 mm	60 mm	B	Kana	5	

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANALINE - 18 mm
polyester, sewn, padded

2






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 507	25 cm	8 mm	48 mm	B	Kana	3	

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TES - 11 mm
polyester special, thermofused

3






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 507 713	25 cm	8 mm	48 mm	+ r	B	Kana	3

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TES - 11 mm
polyester special, thermofused

4






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
84 42 18 10	18 cm	8 mm	48 mm	B	EAN+i	5	
84 42 25 10	25 cm	8 mm	48 mm	B	EAN+i	5	

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Polyester special - 13 mm
thermofused

5






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
136 675	18 cm	8 mm	48 mm	B	Kana	5	
136 677	25 cm	8 mm	48 mm	B	Kana	5	

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TOPTEx - 15 mm
polyester special, thermofused

6


Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
136 675 513	18 cm	8 mm	48 mm	+ r	B	Kana	5
136 677 713	25 cm	8 mm	48 mm	+ r	B	Kana	5

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TOPTEx - 15 mm
polyester special, thermofused

Polyacryl paint rollers

1




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



Polyacryl&Polyester - 18 mm
mix 70 % PA + 30 % PE, sewn

Art.-Nr.	Width	Frame	Core	Design	APG	Label	VE1
84 52 18 10	18 cm	8 mm	44 mm		B	EAN+i	40
84 52 25 10	25 cm	8 mm	44 mm		B	EAN+i	40
84 50 18 10	18 cm	8 mm	60 mm	padded	B	EAN+i	35
84 50 25 10	25 cm	8 mm	60 mm	padded	B	EAN+i	35
84 51 18 10	18 cm	8 mm	68 mm	padded	B	EAN+i	24
84 51 25 10	25 cm	8 mm	68 mm	padded	B	EAN+i	24

2




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



Polyacryl - 18 mm
sewn

Art.-Nr.	Width	Frame	Core	Design	APG	Label	VE1
84 52 19 10	18 cm	8 mm	44 mm		B	EAN+i	5
84 52 26 10	25 cm	8 mm	44 mm		B	EAN+i	5
84 53 19 10	18 cm	8 mm	60 mm	padded	B	EAN+i	5
84 53 26 10	25 cm	8 mm	60 mm	padded	B	EAN+i	5

3




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



GELBFADEN - 12 mm
polyacryl, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 745	18 cm	8 mm	48 mm		B	Kana	5
130 747	25 cm	8 mm	48 mm		B	Kana	5

4




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



KANACOLOR - 18 mm
polyacryl, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
100 067	25 cm	8 mm	44 mm		B	Kana	5

5




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



KANACOLOR - 18 mm
polyacryl, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
300 065	20 cm	8 mm	52 mm		B	Kana	5
300 067	25 cm	8 mm	52 mm		B	Kana	5
400 065	20 cm	8 mm	60 mm		B	Kana	5
400 067	27 cm	8 mm	60 mm		B	Kana	5
700 065	20 cm	8 mm	68 mm		B	Kana	3
700 067	27 cm	8 mm	68 mm		B	Kana	3

6




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



PERLAFLOR - 18 mm
polyacryl, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
100 385	18 cm	8 mm	44 mm		B	Kana	5
100 387	25 cm	8 mm	44 mm		B	Kana	5

7





- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



PERLAFLOR - 18 mm
polyacryl, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
400 387	27 cm	8 mm	60 mm		B	Kana	5

1






- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANABLUE - 18 mm
polyacryl, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
302 305	20 cm	8 mm	52 mm		B	Kana	5
302 307	27 cm	8 mm	52 mm		B	Kana	5

2






- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAGREEN - 18 mm
polyacryl, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
200 985	18 cm	6 mm	44 mm		B	Kana	5
200 987	25 cm	6 mm	44 mm		B	Kana	5
100 985	18 cm	8 mm	44 mm		B	Kana	5
100 987	25 cm	8 mm	44 mm		B	Kana	5

3






- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAGREEN - 18 mm
polyacryl, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
100 985 513	18 cm	8 mm	44 mm	+ 7	B	Kana	5

4





- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAGREEN - 18 mm
polyacryl, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
300 985	20 cm	8 mm	52 mm		B	Kana	5
300 987	27 cm	8 mm	52 mm		B	Kana	5
400 985	20 cm	8 mm	60 mm		B	Kana	5
400 987	20 cm	8 mm	60 mm		B	Kana	5
700 987	27 cm	8 mm	68 mm		B	Kana	3

5


- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAGREEN - 18 mm
polyacryl, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
400 987 713	27 cm	8 mm	60 mm	+ 7	B	Kana	5

Polyamide paint rollers

1




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

PERLTEX - 12 mm
polyamide, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 345-415	18 cm	8 mm	48 mm	B	Kana	10	
130 347-415	25 cm	8 mm	48 mm	B	Kana	10	

2




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

DUALON - 18 mm
polyamide, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
300 437	27 cm	8 mm	52 mm	B	Kana	1	
400 437	27 cm	8 mm	60 mm	B	Kana	1	
700 437	27 cm	8 mm	68 mm	B	Kana	1	

3




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

GOLDFADEN - 12 mm
polyamide, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 135-415	18 cm	8 mm	48 mm	B	Kana	5	
130 137	25 cm	8 mm	48 mm	B	Kana	3	
160 137	25 cm	8 mm	54 mm	B*	Kana	3	

* especially for plasterboard surfaces

4




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANA deluxe - 21 mm
polyamide, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
160 917	25 cm	8 mm	54 mm	B	Kana	1	

5




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANA deluxe - 21 mm
polyamide, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
300 915	20 cm	8 mm	52 mm	B	Kana	1	
300 917	27 cm	8 mm	52 mm	B	Kana	1	
400 917	27 cm	8 mm	60 mm	B	Kana	1	
700 917	27 cm	8 mm	68 mm	B	Kana	1	

6




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TripleRED - 18 mm
polyamide, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
106 695	18 cm	8 mm	44 mm	B	Kana	3	
106 697	25 cm	8 mm	44 mm	B	Kana	3	

7




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TripleRED - 18 mm
polyamide, sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
106 695 513	18 cm	8 mm	44 mm	+ ?	B	Kana	5
106 697 713	25 cm	8 mm	44 mm	+ ?	B	Kana	5

Polyamide paint rollers

1



12 mm
8 mm 54 mm

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TripleRED - 12 mm
polyamide, thermofused
especially for plasterboard surfaces

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
166 687	25 cm	8 mm	54 mm		B	Kana	3

2




12 mm
8 mm 54 mm

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TripleRED - 12 mm
polyamide, thermofused
especially for plasterboard surfaces

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
166 687 713	25 cm	8 mm	54 mm	+ 1	B	Kana	5

3



18 mm
8 mm 60 mm 68 mm

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TripleRED - 18 mm
polyamide, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
406 695	20 cm	8 mm	60 mm		B	Kana	3
406 697	27 cm	8 mm	60 mm		B	Kana	3
706 697	27 cm	8 mm	68 mm		B	Kana	3

4




18 mm
8 mm 68 mm

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TripleRED - 18 mm
polyamide, sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
706 697 713	27 cm	8 mm	68 mm	+ 1	B	Kana	3

5




6 mm
8 mm 48 mm

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

BLAUGOLD - 6 mm
polyamide nylon, themofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 765-415	18 cm	8 mm	48 mm		B	Kana	5
130 767-415	25 cm	8 mm	48 mm		B	Kana	5
876 024	61 cm	8 mm	48 mm		B	Kana	1

6




6 mm
8 mm 48 mm

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

BLAUGOLD - 6 mm
polyamide nylon, themofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 767 713	25 cm	8 mm	48 mm	+ 1	B	Kana	5




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



BLAUFADEN - 13 mm
polyamide nylon, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 115-415	18 cm	8 mm	48 mm		B	Kana	5
130 117	25 cm	8 mm	48 mm		B	Kana	3
811 018	46 cm	8 mm	48 mm		B	Kana	1

Microfibre paint rollers




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



MICROSTAR® - 9 mm
microfibre, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 965	18 cm	8 mm	48 mm		B	Kana	5
130 967	25 cm	8 mm	48 mm		B	Kana	3




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



GREENSTAR - 12 mm
microfibre, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
136 807	25 cm	8 mm	48 mm		B	Kana	3




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



Microfibre - 15 mm
sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
84 58 27 19	27 cm	8 mm	60 mm		B	EAN+i	5

Natural material paint rollers




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



VELOUR - 5 mm
wool, themofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
130 235	18 cm	8 mm	48 mm		B	Kana	3
130 237	25 cm	8 mm	48 mm		B	Kana	3
84 26 18 19	18 cm	8 mm	40 mm		B	EAN+i	6
84 26 25 19	25 cm	8 mm	40 mm		B	EAN+i	6

with velour mixed plash





- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



MOHER - 4 mm
goat hair, glued

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
190 797	25 cm	8 mm	44 mm		B	Kana	1

1






- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

LAMBSKIN - 20 mm
sewn

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
84 21 25 10	25 cm	8 mm	44 mm		B	EAN + i	5

2



- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

LAMBSKIN - 22 mm
sewn, padded

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
400 157	27 cm	8 mm	60 mm		B	Kana	1

Foam paint rollers

3






- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN - foam superfine
straight ends

Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
192 605	18 cm	8 mm	74 mm		B	Kana	3
192 607	25 cm	8 mm	74 mm		B	Kana	3

4



- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

FLOCK - foam fine, flock covered
rounded ends

Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
193 327	25 cm	8 mm	74 mm		B	Kana	3

Small foam paint rollers

5






- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Polyether - foam fine
straight ends

Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
86 70 05 10	5 cm	6 mm	35 mm		B	EAN + i	20
86 70 11 10	11 cm	6 mm	35 mm		B	EAN + i	10
86 70 40 10	10x 11cm	6 mm	35 mm		B	EAN + i	10

6






- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN - foam fine
straight ends

Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
502 404	5 cm	6 mm	35 mm		B	Kana	10
502 408	7 cm	6 mm	35 mm		B	Kana	10
502 401	11 cm	6 mm	35 mm		B	Kana	10
502 403	16 cm	6 mm	35 mm		B	Kana	10
502 404-10	10x 5cm	6 mm	35 mm		B	Kana	1
502 401-10	10x 11cm	6 mm	35 mm		B	Kana	1

1






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
502 401 173	11 cm	6 mm	35 mm	+ 7	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN - foam fine straight end

2






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
502 421	11 cm	6 mm	35 mm		B	Kana	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN - foam fine both ends rounded

3






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
502 601	11 cm	6 mm	35 mm		B	Kana	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN - foam superfine straight ends

4






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
502 621	11 cm	6 mm	35 mm		B	Kana	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN - foam superfine both ends rounded

5






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
502 681	11 cm	6 mm	35 mm		B	Kana	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN CONCAVE - foam superfine both ends concave

6






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
503 304	5 cm	6 mm	35 mm		B	Kana	5
503 301	11 cm	6 mm	35 mm		B	Kana	5
503 303	16 cm	6 mm	35 mm		B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

FLOCK - foam fine, flock covered straight ends

7






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
503 311	11 cm	6 mm	35 mm		B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

FLOCK - foam fine, flock covered inside rounded end, outside straight end

1






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
503 321	11 cm	6 mm	35 mm		B	Kana	5
503 323	16 cm	6 mm	35 mm		B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

FLOCK - foam fine, flock covered rounded ends

2






Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
503 321 173	11 cm	6 mm	35 mm	+ 1	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

FLOCK - foam fine, flock covered rounded ends

3



Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
503 381	11 cm	6 mm	35 mm		B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

FLOCK CONCAVE - foam fine, flock covered both ends concave

Small natural material paint rollers

4






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
86 50 10 10	10 cm	6 mm	15 mm		B	EAN+i 10	
86 50 80 10	20x 5cm	6 mm	15 mm		B	EAN+i 1	
86 50 40 10	10x 10cm	6 mm	15 mm		B	EAN+i 1	

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VELOUR - 4 mm wool, themofused

5






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
500 238	7 cm	6 mm	17 mm		B	Kana	10
500 231	10 cm	6 mm	17 mm		B	Kana	10
500 233	15 cm	6 mm	17 mm		B	Kana	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VELOUR - 5 mm wool, themofused

6



Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
500 231 173	10 cm	6 mm	17 mm	+ 1	B	Kana	5
500 231 173-2	2x 10cm	6 mm	17 mm	+ 1	B	Kana	1

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VELOUR - 5 mm wool, themofused

Small polyester paint rollers

1





Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
506 401	10 cm	6 mm	17 mm		B	Kana	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

FILT - 5 mm
polyester filament, thermofused

2

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
506 661	10 cm	6 mm	17 mm		B	Kana	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TOPTEx - 10 mm
polyester special, thermofused

3






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
506 661 173	10 cm	6 m	17 mm	+ 1	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TOPTEx - 10 mm
polyester special, thermofused

Small polyacryl paint rollers

4






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
86 67 10 10	10 cm	6 mm	15 mm		B	EAN+i	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Polyacryl - 12 mm
thermofused

5

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
500 051	10 cm	6 mm	17 mm		B	Kana	10


- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANACOLOR - 13 mm
polyacryl, thermofused

Small polyamide paint rollers

		Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1	
1			500 341	10 cm	6 mm	17 mm	B	Kana	10	
			<p>PERLTEX - 12 mm polyamide, thermofused</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 							
2			500 341 171	10 cm	6 mm	17 mm	+ ?	B	Kana	5
			<p>PERLTEX - 12 mm polyamide, thermofused</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 							
3			86 30 10 10	10 cm	6 mm	15 mm	B	EAN + i	10	
			<p>Polyamide - 12 mm thermofused</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 							
4			500 131	10 cm	6 mm	17 mm	B	Kana	10	
			500 131-10	10x 10cm	6 mm	17 mm	B	Kana	5	
<p>GOLDFADEN - 13 mm polyamide, thermofused</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 										
5			500 131 173	10 cm	6 mm	17 mm	+ ?	B	Kana	5
			<p>GOLDFADEN - 13 mm polyamide, thermofused</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 							
6			500 901	10 cm	6 mm	17 mm	B	Kana	10	
			500 903	15 cm	6 mm	17 mm	B	Kana	10	
<p>KANAdeluxe - 14 mm polyamide, thermofused</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 										
7			506 681	10 cm	6 mm	17 mm	B	Kana	10	
			<p>TripleRED - 12 mm polyamide endless, thermofused</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 							

1




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TripleRED - 12 mm
polyamide endless, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
506 681 171	10 cm	6 mm	17 mm	+ r	B	Kana	5
506 681 161	10 cm	6 mm	17 mm	+ r	B	Kana	5

2




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

BLAUGOLD - 6 mm
polyamide nylon, themofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
500 761	10 cm	6 mm	17 mm		B	Kana	10

3




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

BLAUFADEN - 13 mm
polyamide nylon, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
500 118	7 cm	6 mm	17 mm		B	Kana	10
500 111	10 cm	6 mm	17 mm		B	Kana	10
500 113	15 cm	6 mm	17 mm		B	Kana	10
500 111-10	10x 10cm	6 mm	17 mm		B	Kana	5

4




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

BLAUFADEN - 13 mm
polyamide nylon, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
500 111 173	10 cm	6 mm	17 mm	+ r	B	Kana	5

Small microfibre paint rollers

5




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

MICROSTAR® - 9 mm
microfibre, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
500 961	10 cm	6 mm	17 mm		B	Kana	10

6





- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

MICROSTAR® - 9 mm
microfibre, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
500 961 173	10 cm	6 mm	17 mm	+ r	B	Kana	5

1



- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Microfibre - 15 mm thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
86 58 10 10	10 cm	6 mm	17 mm		B	EAN+i	10

Allrounders - natural material

2



- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VELOUR - 5 mm wool, themofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
86 51 10 10	10 cm	6 mm	30 mm		B	EAN+i	10
510 231	12 cm	6 mm	30 mm		B	Kana	5
510 233	15 cm	6 mm	30 mm		B	Kana	5

Polyester allrounders

3






- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TOPTEx - 15 mm polyester special, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
516 671	10 cm	6 mm	30 mm		B	Kana	5

4



- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

TOPTEx - 15 mm polyester special, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
516 671 173	10 cm	6 mm	30 mm	+ 7	B	Kana	5

Polyacryl allrounders

5

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANACOLOR - 13 mm polyacryl, thermofused



Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
510 051	12 cm	6 mm	30 mm		B	Kana	10
510 053	15 cm	6 mm	30 mm		B	Kana	5

Polyamide allrounders

		Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
1	  <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wall&Facade point <input type="checkbox"/> Water-based lacquer <input checked="" type="checkbox"/> Solvent-based lacquer <input type="checkbox"/> Thin&Thick layer varnish <input type="checkbox"/> Impregnation&Primer <p>PERLTEX - 12 mm polyamide, thermofused</p>	510 341	12 cm	6 mm	30 mm		B	Kana	5
2	  <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wall&Facade point <input type="checkbox"/> Water-based lacquer <input checked="" type="checkbox"/> Solvent-based lacquer <input type="checkbox"/> Thin&Thick layer varnish <input type="checkbox"/> Impregnation&Primer <p>GOLDFADEN - 13 mm polyamide, thermofused</p>	510 131	12 cm	6 mm	30 mm		B	Kana	5
3	  <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wall&Facade point <input type="checkbox"/> Water-based lacquer <input checked="" type="checkbox"/> Solvent-based lacquer <input type="checkbox"/> Thin&Thick layer varnish <input type="checkbox"/> Impregnation&Primer <p>KANAdeluxe - 14 mm polyamide, thermofused</p>	510 901 510 903	12 cm 15 cm	6 mm	30 mm		B	Kana	5
4	  <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wall&Facade point <input type="checkbox"/> Water-based lacquer <input checked="" type="checkbox"/> Solvent-based lacquer <input type="checkbox"/> Thin&Thick layer varnish <input type="checkbox"/> Impregnation&Primer <p>TripleRED - 12 mm polyamide endless, thermofused</p>	516 681	12 cm	6 mm	30 mm		B	Kana	5
5	  <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Wall&Facade point <input type="checkbox"/> Water-based lacquer <input checked="" type="checkbox"/> Solvent-based lacquer <input type="checkbox"/> Thin&Thick layer varnish <input type="checkbox"/> Impregnation&Primer <p>TripleRED - 12 mm polyamide endless, thermofused</p>	516 681 171 516 681 161	12 cm 12 cm	6 mm	30 mm	+ 	B	Kana	5
6	  <ul style="list-style-type: none"> <input type="checkbox"/> Wall&Facade point <input type="checkbox"/> Water-based lacquer <input checked="" type="checkbox"/> Solvent-based lacquer <input type="checkbox"/> Thin&Thick layer varnish <input type="checkbox"/> Impregnation&Primer <p>BLAUGOLD - 6 mm polyamide nylon, themofused</p>	510 761	12 cm	6 mm	30 mm		B	Kana	5

Polyamide allrounders

1

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
510 111	12 cm	6 mm	30 mm		B	Kana	5
510 113	15 cm	6 mm	30 mm		B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

BLAUFADEN - 13 mm
polyamide nylon, thermofused

2




Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
510 961	12 cm	6 mm	30 mm		B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

MICROSTAR® - 9 mm
microfibre, thermofused

3






Art.-Nr.	Frame	Handle	APG	Label	VE1
800 200 057	6 mm	+ 1	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VESTAN - 22 mm
polyester

4



Art.-Nr.	Frame	Handle	APG	Label	VE1
800 060 057	6 mm	+ 1	B	Kana	3
800 060	6 mm	☒	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANACOLOR - 18 mm
polyacryl

☒ spare roller without handle

5

Art.-Nr.	Frame	Handle	APG	Label	VE1
800 910 057	6 mm	+ 1	B	Kana	3

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAdeluxe - 21 mm
polyamide

Special rollers

1




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Polyamide - 12 mm thermofused

Art.-Nr.	Frame	Handle	APG	Label	VE1
86 82 99 10	6 mm	+ r	B	EAN+i	1
834 023	6 mm	☒	B	Kana	5

☒ 3 pcs of spare rollers without handle

2





- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

PERLTEX - 12 mm polyamide, thermofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
800 341 001	10 cm	6 mm	25 mm	+ r	B	Kana	1

3




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

MICROFASER - 9 mm polyester, themofused

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
516 601 N	12 cm	6 mm	30 mm	+ r	B	Kana	1


4



Air-removing roller - with metal nails
helps to expel air bubbles from thick floor coatings

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
800 002	18 cm	8 mm	44 mm		B	Kana	1

5



Air-removing roller - with plastic nails
helps to expel air bubbles from thick floor coatings

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
800 004	25 cm	8 mm	44 mm		B	Kana	1

6



KREACE
foam polyester coarse

Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
502 801	10 cm	6 mm	30 mm		B	Kana	3

7



KREACE
foam coarse* and extra coarse**
straight end

Art.-Nr.	Width	Frame	Diam.	Design	APG	Label	VE1
192 805	18 cm	8 mm	74 mm	*	B	Kana	3
192 807	25 cm	8 mm	74 mm	*	B	Kana	3
193 007	25 cm	8 mm	74 mm	**	B	Kana	3

1	Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
	101 045	18 cm	8 mm	44 mm		A	Kana	1



KREACE
effect roller with leather

2	Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
	190 555	18 cm	8 mm	44 mm		A	Kana	1



KREACE - relief roller
fine structure

Roller sets

3	Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
	85 90 19 10	18 cm	6 mm	40 mm	+ f	C	EAN+i	10
	85 90 23 10	21 cm	6 mm	40 mm	+ f	C	EAN+i	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



Polyester - 18 mm
sewn, fixed handle, with grid

4	Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
	250 215 553	18 cm	6 mm	44 mm	+ f	C	Kana	5
	240 217 753	25 cm	6 mm	44 mm	+ f	C	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



Vestan - 18 mm
polyester, sewn, with grid

5	Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
	85 94 75 10	25 cm	8 mm	58 mm	+ f	C	EAN+i	10

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



Polyester - 18 mm
sewn, padded with grid


6	Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
	150 685 513	18 cm	8 mm	44 mm	+ f	C	Kana	5
	140 687 713	25 cm	8 mm	44 mm	+ f	C	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



LIKELAN - 20 mm
polyester, sewn, with grid

1




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Polyacryl - 18 mm
sewn, with grid

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
85 95 45 10	25 cm	8 mm	44 mm	+ ?	C	EAN+i	10

2




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAGREEN - 18 mm
polyacryl, sewn, with grid

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
250 985 553	18 cm	6 mm	44 mm	+ ?	C	Kana	5
240 987 753	25 cm	6 mm	44 mm	+ ?	C	Kana	1

3




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANABLUE - 18 mm
polyacryl, sewn, with grid

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
151 230 513	18 cm	8 mm	44 mm	+ ?	C	Kana	5
141 230 713	25 cm	8 mm	44 mm	+ ?	B	Kana	5

4




- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VESTAN - 18 mm
polyester, sewn, with grid, cover foil 4x4m

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
900 000 011	18 cm	6 mm	44 mm	+ ?	C	Kana	5
900 000 012	25 cm	6 mm	44 mm	+ ?	C	Kana	5

5





- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAGREEN - 18 mm
polyacryl, sewn, with grid, cover foil 4x4m

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
900 000 153	18 cm	6 mm	44 mm	+ ?	C	Kana	5
900 000 073	25 cm	6 mm	44 mm	+ ?	C	Kana	5

1






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
300 087 721	25 cm	8 mm	52 mm	+ 1	C	Kana	5
300 087 721-2	2x 25cm	8 mm	52 mm	+ 1	C	Kana	1

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANALINE - 18 mm
polyester, sewn, padded
with telescopic pole 200 cm

2






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
100 987 721	25 cm	8 mm	44 mm	+ 1	B	Kana	5

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAGREEN - 18 mm
polyacryl, sewn
with telescopic pole 200 cm

3

Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
300 987 721	27 cm	8 mm	52 mm	+ 1	B	Kana	5

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAGREEN - 18 mm
polyacryl, sewn, padded
with telescopic pole 200 cm

4






Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
300 437 723	27 cm	8 mm	52 mm	+ 1	B	Kana	5

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

DUALON - 18 mm
polyamide, sewn, padded
with telescopic pole 200 cm

5

Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
552 404 483	5 cm	6 mm	35 mm	+ 1	B	Kana	5
572 401 171	11 cm	6 mm	35 mm	+ 1	B	Kana	5

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN - foam fine
straight ends, with tray

1



Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
900 000 005	5 + 11 cm	6 mm	35 mm	+ 1	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN - foam fine
5 and 11 cm
straight ends; with tray

2




Art.-Nr.	Width	Frame	Diam.	Handle	APG	Label	VE1
573 321 171	11 cm	6 mm	35 mm	+ 1	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

FLOCK - foam fine with flock cover
rounded ends, with tray

3



Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
570 231 171	10 cm	6 mm	17 mm	+ 1	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

VELOUR - 5 mm
wool, thermofused, with tray

4



Art.-Nr.	Width	Frame	Core	Handle	APG	Label	VE1
900 000 002	3x 10cm	6 mm	17 mm	+ 1	B	Kana	5

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

KANAPOREN foam fine
GELBFADEN - 12 mm, polyacryl, thermofused
BLAUFADEN - 13 mm, polyamide nylon, thermofused
with tray

Roller handles

1			Art.-Nr.	Width	Frame	APG	Label	VE1
			551 010	18 cm	6 mm	C	Kana	5
			751 010	25 cm	6 mm	C	Kana	5

Handle type 'j'
steel wire, zinc plated

2			Art.-Nr.	Width	Frame	APG	Label	VE1
			513 011	18 cm	8 mm	C	Kana	5
			713 011	25 cm	8 mm	C	Kana	5

Handle type 'j'
steel wire, zinc plated

3			Art.-Nr.	Width	Frame	APG	Label	VE1
			84 02 18 10	18 cm	8 mm	C	Kana	10
			84 02 25 10	25 cm	8 mm	C	Kana	10

Handle type 'h1'
steel wire, zinc plated

4			Art.-Nr.	Width	Frame	APG	Label	VE1
			803 024	30-61 cm	8 mm	C	Kana	1

For special refills
with width 30 - 61 cm

5			Art.-Nr.	Width	Frame	Total length	APG	Label	VE1
			483 010	5-7 cm	6 mm	19 cm	C	Kana	5

Handle type 'a'
steel wire, zinc plated

6			Art.-Nr.	Width	Frame	Total length	APG	Label	VE1
			171 010	10 cm	6 mm	27 cm	C	Kana	5
			161 010	10 cm	6 mm	42 cm	C	Kana	5
			151 010	10 cm	6 mm	56 cm	C	Kana	5
			351 010	15 cm	6 mm	29 cm	C	Kana	5

Handle type 'j'
steel wire, zinc plated

Paint trays, paint grids and paint buckets

1		Art.-Nr.	Volume	APG	Label	VE1
		801 025	0,7 Lit.	C	Kana	5

Paint pot with top plastic

2		Art.-Nr.	Dimension	APG	Label	VE1
		84 83 29 10	22 x 25 cm	C	EAN	10
		84 83 28 10	27 x 29 cm	C	EAN	10

Wipe grid - plastic

3		Art.-Nr.	Dimension	APG	Label	VE1
		84 83 27 10	26 x 30 cm	A	EAN	10

Wipe grid - metal zinc plated

4		Art.-Nr.	Dimension	Colour	APG	Label	VE1
		305 011	10 x 20 cm	red	C	Kana	5
		84 80 11 10	15 x 32 cm	black	C	EAN	10
		84 80 18 10	26 x 32 cm	black	C	EAN	10
		84 80 25 10	32 x 36 cm	black	C	EAN	8

Paint tray - plastic

5		Art.-Nr.	Dimension	APG	Label	VE1
		84 80 30 10	30 x 47 cm	C	EAN	15

Paint tray - extra big professional tray, plastic

6		Art.-Nr.	Volume	Colour	APG	Label	VE1
		84 82 08 10	8 Lit.	black	C	EAN	1
		84 82 14 10	12 Lit.	black	C	EAN	1
		84 82 44 10	14 Lit.	black	C	EAN	1
		619 011	19 Lit.	red	B	Kana	1

Paint pail - plastic metal wire

Extension poles

1		Art.-Nr.	Length	Diameter	APG	Label	VE1
		407 700	80 cm	22 mm	B	Kana	5
		407 800	120 cm	22 mm	B	Kana	5

Simple extension pole
steel, lacquered

2		Art.-Nr.	Length	Diameter	APG	Label	VE1
		520 000	80-150 cm	22 mm	B	Kana	1
		520 800	80-135 cm	25 mm	B	Kana	1
		520 100	115-200 cm	25 mm	B	Kana	5
		520 400	165-300 cm	25 mm	B	Kana	1

Telescopic extension pole
steel, lacquered

3		Art.-Nr.	Length	Diameter	APG	Label	VE1
		540 200	115-200 cm	25 mm	B	Kana	5
		540 300	165-300 cm	25 mm	B	Kana	5

Telescopic extension pole
Aluminium

4		Art.-Nr.	Length	Diameter	APG	Label	VE1
		524 300	130-238 cm	32 mm	B	Kana	1

Telescopic extension pole
Aluminium-glass fibre composite
with precise handle locking mechanism and
changable cones

- CLICK roller-handle fixation
- 2 changeable cones included
- CLICK telescopic part aretation

Other accessories

5		Art.-Nr.	Width	APG	Label	VE1
		84 79 01 10	100 cm	B	EAN	1

Painter's ruler - natural wood

KANA paintbrushes

Brushes are one of the first historical painting tools, and have developed through the ages and still continue to evolve today.


Use of natural animal bristles was and still is the classical way of assembling brushes before the development of today's existing synthetic bristles.

The EU directive regarding volatile organic compound content of painting materials (cancer-causing solvents) - whose last step in the EU is valid from 2010 (VOC2010), brought considerable changes in the components / compositions of emulsions / varnishes & glazes / stains. New compositions resulted in new requirements for the bristle mixtures of brushes.



As producers we closely follow these changes in order to continuously develop and enhance brushes with new bristles (natural, synthetic, mixed), which will give optimal results with the new paints, lacquers and varnishes.

Usability, covering capability, surface finish must be harmonized to each other in a good brush.

Continual tests with the biggest paint suppliers, and other material producers, are the base for our developments over many years.



Paintbrush sizes - inches / millimeters



Paintbrushes

- 33 Flat paintbrushes
- 37 Special brushes
- 37 Radiator brushes
- 38 Facade brushes
- 38 Round brushes
- 39 Block brushes
- 39 Ceiling brushes
- 41 Small paintbrushes
- 41 Other brushes



Flat paintbrushes - 4th grade




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
plastic handle
tin plated ferrule
60 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
81 20 20 10	20 mm	8 mm	41 mm	B	EAN	12
81 20 30 10	30 mm	8 mm	41 mm	B	EAN	12
81 20 40 10	40 mm	8 mm	41 mm	B	EAN	12
81 20 50 10	50 mm	8 mm	41 mm	B	EAN	12
81 20 60 10	60 mm	8 mm	45 mm	B	EAN	12
81 20 70 10	70 mm	8 mm	45 mm	B	EAN	12

Flat paintbrushes - 5th grade




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
lacquered wooden handle
tin plated ferrule
50 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
81 26 20 10	20 mm	9 mm	38 mm	B	EAN	12
81 26 25 10	25 mm	9 mm	38 mm	B	EAN	12
81 26 35 10	35 mm	10 mm	38 mm	B	EAN	12
81 26 50 10	50 mm	11 mm	38 mm	B	EAN	12
81 26 60 10	60 mm	11 mm	44 mm	B	EAN	12
81 26 75 10	75 mm	11 mm	44 mm	B	EAN	12
81 26 99 10	100 mm	11 mm	51 mm	B	EAN	12



Flat paintbrushes - 6th grade



- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
plastic handle
tin plated ferrule
50 % tops


Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
81 28 03 10	30 mm	12 mm	38 mm	B	EAN	12
81 28 04 10	40 mm	12 mm	38 mm	B	EAN	12
81 28 05 10	50 mm	13 mm	44 mm	B	EAN	12
81 28 07 10	70 mm	16 mm	44 mm	B	EAN	12



- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
plastic handle
tin plated ferrule
60 % tops



Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
211 030	30 mm	13 mm	38 mm	B	Kana	12
211 040	40 mm	13 mm	38 mm	B	Kana	12
211 050	50 mm	13 mm	42 mm	B	Kana	12
211 060	60 mm	15 mm	44 mm	B	Kana	12
211 070	70 mm	15 mm	48 mm	B	Kana	12
211 100	100 mm	15 mm	50 mm	B	Kana	6




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer






White chinese bristle
plastic handle
tin plated ferrule
60 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
214 020	20 mm	13 mm	45 mm	B	Kana	12
214 030	30 mm	13 mm	45 mm	B	Kana	12
214 040	40 mm	14 mm	45 mm	B	Kana	12
214 050	50 mm	14 mm	45 mm	B	Kana	12
214 060	60 mm	14 mm	45 mm	B	Kana	12
214 070	70 mm	15 mm	45 mm	B	Kana	12
214 080	80 mm	15 mm	50 mm	B	Kana	6
214 100	100 mm	15 mm	50 mm	B	Kana	6



1  




Art.-Nr.	Widths	APG	Label	VE1
214 003	20/30/50 mm	B	Kana	5






-  Wall&Facade paint
-  Water-based lacquer
-  Solvent-based lacquer
-  Thin&Thick layer varnish
-  Impregnation&Primer

3pcs brush set - white chinese bristle
 plastic handle
 tin plated ferrule
 60 % tops



2  




Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
206 020	20 mm	12 mm	38 mm	B	Kana	12
206 030	30 mm	12 mm	38 mm	B	Kana	12
206 040	40 mm	13 mm	45 mm	B	Kana	12
206 050	50 mm	13 mm	45 mm	B	Kana	12
206 060	60 mm	14 mm	50 mm	B	Kana	12
206 070	70 mm	14 mm	50 mm	B	Kana	12
206 100	100 mm	14 mm	57 mm	B	Kana	6






-  Wall&Facade paint
-  Water-based lacquer
-  Solvent-based lacquer
-  Thin&Thick layer varnish
-  Impregnation&Primer

White chinese bristle
 plastic handle
 tin plated ferrule
 60 % tops

3  



Art.-Nr.	Widths	APG	Label	VE1
900 000 009	20/30/50 mm	B	Kana	5

-  Wall&Facade paint
-  Water-based lacquer
-  Solvent-based lacquer
-  Thin&Thick layer varnish
-  Impregnation&Primer

3pcs brush set - white chinese bristle
 plastic handle
 tin plated ferrule
 60 % tops



4  




Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
240 010	25 mm	13 mm	44 mm	B	Kana	12
240 015	40 mm	13 mm	44 mm	B	Kana	12
240 020	50 mm	13 mm	51 mm	B	Kana	12
240 025	65 mm	13 mm	57 mm	B	Kana	12
240 030	75 mm	13 mm	63 mm	B	Kana	6
240 040	100 mm	13 mm	70 mm	B	Kana	6






-  Wall&Facade paint
-  Water-based lacquer
-  Solvent-based lacquer
-  Thin&Thick layer varnish
-  Impregnation&Primer

White chinese bristle
 plastic handle
 tin plated ferrule
 90 % tops


5  



Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
81 31 30 19	30 mm	11 mm	38 mm	B	EAN+i	12
81 31 40 19	40 mm	12 mm	44 mm	B	EAN+i	12
81 31 50 19	50 mm	13 mm	51 mm	B	EAN+i	12
81 31 70 19	70 mm	15 mm	57 mm	B	EAN+i	12
81 31 99 19	100 mm	17 mm	63 mm	B	EAN+i	12

-  Wall&Facade paint
-  Water-based lacquer
-  Solvent-based lacquer
-  Thin&Thick layer varnish
-  Impregnation&Primer

White mixed bristle
 plastic handle
 stainless iron ferrule
 70 % tops


1  6th grade

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



Brown mixed bristle
plastic handle
tin plated ferrule
70 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
204 010	25 mm	13 mm	38 mm	B	Kana	12
204 015	40 mm	13 mm	47 mm	B	Kana	12
204 020	50 mm	15 mm	50 mm	B	Kana	12
204 025	65 mm	15 mm	55 mm	B	Kana	12
204 030	75 mm	16 mm	60 mm	B	Kana	12

2  6th grade


- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



White mixed bristle
plastic handle
tin plated ferrule
70 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
228 030	30 mm	13 mm	52 mm	B	Kana	12
228 040	40 mm	14 mm	52 mm	B	Kana	12
228 050	50 mm	14 mm	52 mm	B	Kana	12
228 060	60 mm	14 mm	52 mm	B	Kana	12
228 070	70 mm	15 mm	57 mm	B	Kana	12
228 080	80 mm	15 mm	57 mm	B	Kana	12

Flat paintbrushes - 9th grade


3  9th grade

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



White chinese bristle
plastic handle
tin plated ferrule
70 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
234 075	20 mm	15 mm	38 mm	B	Kana	12
234 010	25 mm	15 mm	45 mm	B	Kana	12
234 015	40 mm	17 mm	45 mm	B	Kana	12
234 020	50 mm	17 mm	45 mm	B	Kana	12
234 025	65 mm	18 mm	54 mm	B	Kana	12
234 030	75 mm	20 mm	57 mm	B	Kana	12
234 035	90 mm	21 mm	57 mm	B	Kana	6
234 040	100 mm	21 mm	63 mm	B	Kana	6


4  9th grade

- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



White chinese bristle
plastic handle
tin plated ferrule
60 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
231 010	25 mm	15 mm	38 mm	B	Kana	12
231 015	40 mm	17 mm	38 mm	B	Kana	12
231 020	50 mm	18 mm	44 mm	B	Kana	12
231 025	65 mm	18 mm	54 mm	B	Kana	12
231 030	75 mm	18 mm	57 mm	B	Kana	12
231 035	90 mm	19 mm	57 mm	B	Kana	6
231 040	100 mm	19 mm	60 mm	B	Kana	6

5  9th grade



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer



White chinese bristle
plastic handle
tin plated ferrule
60 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
236 075	20 mm	15 mm	45 mm	B	Kana	12
236 010	25 mm	16 mm	45 mm	B	Kana	12
236 015	40 mm	16 mm	45 mm	B	Kana	12
236 020	50 mm	17 mm	47 mm	B	Kana	12
236 025	65 mm	19 mm	55 mm	B	Kana	12
236 030	75 mm	20 mm	60 mm	B	Kana	12
236 035	90 mm	20 mm	62 mm	B	Kana	6
236 040	100 mm	20 mm	68 mm	B	Kana	6

1 9th grade

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White mixed bristle
lacquered wooden handle
tin plated ferrule
60 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
81 12 30 10	30 mm	15 mm	44 mm	A	EAN	12
81 12 40 10	40 mm	15 mm	44 mm	A	EAN	12
81 12 50 10	50 mm	16 mm	44 mm	A	EAN	12
81 12 60 10	60 mm	17 mm	51 mm	A	EAN	12
81 12 80 10	80 mm	18 mm	51 mm	A	EAN	12
81 12 99 10	100 mm	19 mm	57 mm	A	EAN	6

2 9th grade




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Brown mixed bristle
plastic handle
brass plated ferrule
70 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
384 010	25 mm	14 mm	42 mm	A	Kana	12
384 015	40 mm	15 mm	50 mm	A	Kana	12
384 020	50 mm	16 mm	50 mm	A	Kana	12
384 025	65 mm	17 mm	50 mm	A	Kana	12
384 030	75 mm	20 mm	61 mm	A	Kana	12
384 035	90 mm	20 mm	61 mm	A	Kana	6
384 040	100 mm	21 mm	63 mm	A	Kana	6

3 9th grade




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White mixed bristle CIREX
plastic handle
tin plated ferrule
90 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
235 010	25 mm	16 mm	40 mm	A	Kana	12
235 015	40 mm	16 mm	40 mm	A	Kana	12
235 020	50 mm	17 mm	51 mm	A	Kana	12
235 025	65 mm	19 mm	54 mm	A	Kana	12
235 030	75 mm	20 mm	60 mm	A	Kana	12
235 040	100 mm	20 mm	68 mm	A	Kana	6

Flat paintbrushes - 12th grade

4 12th grade




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
plastic handle
tin plated ferrule
90 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
321 010	25 mm	16 mm	51 mm	A	Kana	12
321 015	40 mm	17 mm	51 mm	A	Kana	12
321 020	50 mm	19 mm	60 mm	A	Kana	12
321 025	65 mm	20 mm	63 mm	A	Kana	12
321 030	75 mm	22 mm	70 mm	A	Kana	12
321 040	100 mm	22 mm	75 mm	A	Kana	6

5 12th grade




- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer







White chinese bristle
wooden handle
tin plated ferrule
90 % tops



Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
325 010	25 mm	16 mm	54 mm	B	Kana	12
325 015	40 mm	17 mm	54 mm	B	Kana	12
325 020	50 mm	19 mm	60 mm	B	Kana	12
325 025	65 mm	20 mm	66 mm	B	Kana	12
325 030	75 mm	22 mm	70 mm	B	Kana	12
325 040	100 mm	22 mm	75 mm	B	Kana	6

Special brushes

1	6 th grade	Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1	
 <ul style="list-style-type: none"> <input type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 	 <p>Brown mixed bristle plastic handle tin plated ferrule 60 % tops</p>	232 020	50 mm	14 mm	60 mm	A	Kana	3	
2	 <ul style="list-style-type: none"> <input type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input checked="" type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 	 <p>Foam brush KANAPOREN for lacquering works</p>	Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
240 130			30 mm			A	Kana	6	
240 145			45 mm			A	Kana	6	
240 160			60 mm			A	Kana	6	
3	4 th grade	Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1	
 <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input type="radio"/> Solvent-based lacquer <input checked="" type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 	 <p>White chinese bristle wooden handle and stainless steel ferrule 80 % tops especially for paint spreading, making very fine&smooth surface</p>	230 010	25 mm	6 mm	37 mm	A	Kana	12	
		230 015	35 mm	6 mm	41 mm	A	Kana	12	
		230 020	50 mm	6 mm	44 mm	A	Kana	12	
		230 025	60 mm	6 mm	48 mm	A	Kana	12	

Radiator brushes

4	1 st grade	Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
 <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input type="radio"/> Solvent-based lacquer <input checked="" type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 	 <p>White chinese bristle plastic handle tin plated ferrule 60 % tops</p>	411 010	25 mm	11 mm	41 mm	B	Kana	12
		411 015	40 mm	11 mm	41 mm	B	Kana	12
		411 020	50 mm	12 mm	41 mm	B	Kana	12
		411 025	65 mm	13 mm	48 mm	B	Kana	12
		411 030	75 mm	13 mm	48 mm	B	Kana	12
5	1 st grade	Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
 <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input type="radio"/> Solvent-based lacquer <input checked="" type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 	 <p>White chinese bristle plastic handle tin plated ferrule 90 % tops</p>	81 62 30 10	30 mm	11 mm	50 mm	C	EAN	12
		81 62 40 10	40 mm	11 mm	50 mm	C	EAN	12
		81 62 50 10	50 mm	11 mm	50 mm	C	EAN	12
		81 62 60 10	60 mm	11 mm	57 mm	C	EAN	12
		81 62 70 10	70 mm	11 mm	57 mm	C	EAN	12
6	1 st grade	Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
 <ul style="list-style-type: none"> <input checked="" type="radio"/> Wall&Facade point <input type="radio"/> Water-based lacquer <input type="radio"/> Solvent-based lacquer <input type="radio"/> Thin&Thick layer varnish <input type="radio"/> Impregnation&Primer 	 <p>White mixed bristle plastic handle plastic ferrule 90 % tops</p>	81 68 50 10	50 mm	10 mm	44 mm	B	EAN	12

1  

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
81 66 25 10	25 mm	9 mm	38 mm	B	EAN	12
81 66 35 10	35 mm	9 mm	38 mm	B	EAN	12
81 66 50 10	50 mm	9 mm	45 mm	B	EAN	12
81 66 60 10	60 mm	9 mm	45 mm	B	EAN	12
81 66 75 10	75 mm	9 mm	51 mm	B	EAN	12

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White synthetic bristle
wooden handle
tin plated ferrule

Facade brushes

2  

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
438 030	75 mm	14 mm	63 mm	B	Kana	6

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
wooden handle
brass plated ferrule
90 % tops


Round brushes

3 

Art.-Nr.	Width	Bristle length	APG	Label	VE1
110 120	24 mm	51 mm	B	Kana	6
110 160	30 mm	51 mm	B	Kana	6
110 200	37 mm	57 mm	B	Kana	6

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
plastic handle and thread
60 % tops

4 

Art.-Nr.	Width	Bristle length	APG	Label	VE1
890 120	24 mm	45 mm	B	Kana	6
890 160	30 mm	51 mm	B	Kana	6
890 200	37 mm	57 mm	B	Kana	6

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
plastic handle and thread
60 % tops

5 

Art.-Nr.	Width	Bristle length	APG	Label	VE1
892 020	32 mm	65 mm	B	Kana	4
892 024	38 mm	75 mm	B	Kana	3
892 026	38 mm	85 mm	B	Kana	3

- Wall&Facade paint
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
wooden handle
lacquered metal casing
90 % tops

Block brushes

1



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
plastic handle and body
tin plated ferrule
60 % tops

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
215 310	100 mm	30 mm	55 mm	B	Kana	3
215 312	120 mm	30 mm	55 mm	B	Kana	3

2



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White mixed bristle
plastic handle and body
tin plated ferrule

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
83 68 07 10	70 mm	30 mm	44 mm	C	EAN	12
83 68 10 10	100 mm	30 mm	44 mm	C	EAN	12
83 68 12 10	120 mm	30 mm	44 mm	C	EAN	12
83 68 14 10	140 mm	40 mm	51 mm	C	EAN	12
83 68 15 10	150 mm	50 mm	51 mm	C	EAN	12

3



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Brown mixed bristle
plastic handle & body
tin plated ferrule

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
241 310	100 mm	30 mm	53 mm	B	Kana	3
241 312	120 mm	30 mm	55 mm	B	Kana	3
241 414	140 mm	40 mm	60 mm	B	Kana	3

Ceiling brushes

4



- Wall&Facade point
- Wallpaper glue
- Dusting&Cleaning
- Solvent-based lacquer
- Impregnation&Primer

PVC/PP bristle
plastic body & handle

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
219 108	108 mm		68 mm	C	Kana	1

5




- Wall&Facade point
- Wallpaper glue
- Dusting&Cleaning
- Solvent-based lacquer
- Impregnation&Primer

PVC/PP bristle
wooden body
plastic handle

Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
250 177	170 mm	70 mm	70 mm	C	Kana	3
83 80 07 10	170 mm	70 mm	70 mm	C	EAN	12
83 80 08 10	180 mm	75 mm	70 mm	C	EAN	12

1




Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
219 100	175 mm	80 mm	76 mm	C	Kana	6
83 82 75 10	170 mm	75 mm	70 mm	C	EAN	1

- Wall&Facade paint
- Wallpaper glue
- Dusting&Cleaning
- Solvent-based lacquer
- Impregnation&Primer

PVC/PP bristle
plastic body & handle

2




Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
218 200	175 mm	75 mm	75 mm	C	Kana	3

- Wall&Facade paint
- Wallpaper glue
- Dusting&Cleaning
- Solvent-based lacquer
- Impregnation&Primer

Silverpren bristle
plastic body & handle
solvent resistant; especially for low viscosity materials like penetrations, primers

3




Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
83 87 70 19	170 mm	70 mm	70 mm	C	EAN + i	1

- Wall&Facade paint
- Wallpaper glue
- Dusting&Cleaning
- Solvent-based lacquer
- Impregnation&Primer

Fibre mix bristle
wooden body and plastic handle
acid and solvent resistant

4




Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
218 515	150 mm	50 mm	80 mm	C	Kana	1
218 166	160 mm	65 mm	85 mm	C	Kana	1
218 177	170 mm	70 mm	90 mm	C	Kana	1
218 188	180 mm	80 mm	90 mm	C	Kana	1
218 189	180 mm	80 mm	97 mm	C	Kana	1

- Wall&Facade paint
- Wallpaper glue
- Dusting&Cleaning
- Solvent-based lacquer
- Impregnation&Primer

White chinese bristle
plastic body and wooden handle
70 % tops; vulcanised brushhead

5



Art.-Nr.	Width	Bristle length	APG	Label	VE1
213 006	120 mm	97 mm	C	Kana	1
83 85 10 10	130 mm	100 mm	C	EAN	1
83 85 12 10	130 mm	120 mm	C	EAN	1
83 85 35 10	130 mm	128 mm	C	EAN	1
213 010	135 mm	122 mm	C	Kana	1

- Wall&Facade paint
- Wallpaper glue
- Dusting&Cleaning
- Solvent-based lacquer
- Impregnation&Primer

White chinese bristle
plastic body and wooden handle
90 % tops; vulcanised brushhead

Small paintbrushes

1	Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
	419 025	25 mm	8 mm	40 mm	B	Kana	3



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Black chinese bristle
wooden handle
tin plated ferrule
90 % tops

2	Art.-Nr.	Width	Thickness	Bristle length	APG	Label	VE1
	428 015	15 mm	5 mm	22 mm	A	Kana	3



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

Black chinese bristle
wooden handle
tin plated ferrule
90 % tops

3	Art.-Nr.	Size	Bristle length	APG	Label	VE1
	229 100	# 0	28 mm	A	Kana	12
	229 102	# 2	30 mm	A	Kana	12
	229 104	# 4	31 mm	A	Kana	12



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle
wooden handle
tin plated ferrule

4	Art.-Nr.	Size	Bristle length	APG	Label	VE1
	463 708	# 8	22 mm	A	Kana	12
	463 712	# 12	24 mm	A	Kana	12
	463 716	# 16	28 mm	A	Kana	12
	463 720	# 20	34 mm	A	Kana	12



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle - flat shape
wooden handle
tin plated ferrule

5	Art.-Nr.	Size	Bristle length	APG	Label	VE1
	464 808	# 8	20 mm	A	Kana	12
	464 812	# 12	24 mm	A	Kana	12



- Wall&Facade point
- Water-based lacquer
- Solvent-based lacquer
- Thin&Thick layer varnish
- Impregnation&Primer

White chinese bristle - round shape
wooden handle
tin plated ferrule

Other brushes

6	Art.-Nr.	Size	APG	Label	VE1
	88 02 20 10	200x67 mm	B	EAN	10



Tar-bitumen brush
natural fibre
heat resistant

Masq products

Professional painters use masking products to increase productivity as they reduce the cleaning time after painting. Accurate masking enables precious painting works, which saves money and time and helps to avoid damages.

As leading provider in the range of professional masking products for painters, the Storch-Ciret group has the expertise to offer you a comprehensive range of masking products.

The wide range of masking tapes, special masking tapes, Combi-Masq products will always offer you the right solution for the special masking requirement.



Explanatory texts



On request - delivery time and minimal order quantity on a personal request



Suitable for indoor use



Suitable for indoor and outdoor use
UV resistant



Safe using time (in days)



Maximal heat resistance



Strong adhesive



Complete width of Combi-Masq foil or paper (after spreading)



Complete length of Combi-Masq foil or paper



Masq products

- 45 Combi-masq
- 46 Flat crepe masking tapes
- 48 PVC and PE masking tapes
- 49 Cloth tapes
- 49 Other covering material



Combi-masq

1



Art.-Nr.	Width	Length	Core	APG	Label	VE1
☎ 96 69 10 10	10 cm	20 m	6 cm	C	EAN+i	5
96 71 80 76	18 cm	20 m	10 cm	C	Masq	5
☎ 96 69 30 10	30 cm	20 m	16 cm	C	EAN+i	5

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Combi-masq small surface masking
masking tape combined with protective paper;
quickly applied masking solution
for maximum productivity;
for small surfaces like window sills, skirting
boards etc.

2



Art.-Nr.	Width	Length	Core	APG	Label	VE1
96 80 56 76	55 cm	33 m	10 cm	C	Masq	5
96 81 10 76	110 cm	33 m	20 cm	C	Masq	5
96 81 40 76	140 cm	33 m	20 cm	C	Masq	5
96 82 10 76	210 cm	20 m	20 cm	C	Masq	4
96 82 70 76	270 cm	16 m	20 cm	C	Masq	3

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Combi-masq surface masking
masking tape combined with electrostatic
loaded protective film;
quickly applied masking solution
for maximum productivity;
for medium/big surfaces like window sills,
skirting boards etc.

3



Art.-Nr.	Width	Length	Core	APG	Label	VE1
☎ 96 78 50 75	55 cm	25 m	10 cm	C	Masq	5
☎ 96 78 60 75	140 cm	25 m	20 cm	C	Masq	5

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Combi-masq surface masking
masking tape combined with electrostatic
loaded protective film;
quickly applied masking solution
for maximum productivity;
with special, high water resistant tape;
also for outdoor use up to 90 days

4




Art.-Nr.	Width	Length	Core	APG	Label	VE1
96 74 55 76	55 cm	14 m	10 cm	C	Masq	5
96 74 11 76	110 cm	14 m	20 cm	C	Masq	5
96 74 14 76	140 cm	14 m	20 cm	C	Masq	5
96 74 21 76	210 cm	14 m	20 cm	C	Masq	5
96 74 24 76	240 cm	14 m	20 cm	C	Masq	5
96 74 27 76	270 cm	14 m	20 cm	0	Masq	3

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Combi-masq surface masking
UV resistant cloth tape combined with
electrostatic loaded protectiv film;
quickly applied masking solution
for maximum productivity;
for medium/big surfaces like window sills,
skirting boards etc. ;
also for rough surfaces, also for outdoor
use up to 21 days

1



Art.-Nr.	Width	Length	Core	APG	Label	VE1
580 192 000	55 cm	20 m	10 cm	C	Masq	30
580 194 000	140 cm	20 m	20 cm	C	Masq	30
580 196 000	270 cm	16 m	20 cm	C	Masq	30

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Combi-masq surface masking
 water resistant cloth tape cobined with electrostatic loaded protectiv film; quickly applied masking solution for maximum productivity; extra wide cloth tape for rough surfaces; also for outdoor use up to 21 days

2




Art.-Nr.	Core	APG	Label	VE1
580 040 000	10 cm	C	-	4
580 060 000	20 cm	C	-	4

Dispenser for Combi-masq products
with paper tape

Flat crepe masking tapes

3




Art.-Nr.	Width	Length	APG	Label	VE1
96 00 01 10	18 mm	25 m	D	EAN	12
96 00 02 10	24 mm	25 m	D	EAN	9
96 00 03 10	29 mm	25 m	D	EAN	8
96 00 04 10	36 mm	25 m	D	EAN	6
96 00 05 10	48 mm	25 m	D	EAN	6

indoor
 outdoor
 UV-resistant
 high adhesive power
 high water resistance

Flat crepe masking tape
 for short term use on most smooth and light textured indoor surfaces; to remove within 12 hours

4



Art.-Nr.	Width	Length	APG	Label	VE1
96 00 19 76	19 mm	50 m	D	Masq	48
96 00 25 76	25 mm	50 m	D	Masq	36
96 00 30 76	30 mm	50 m	D	Masq	32
96 00 38 76	38 mm	50 m	D	Masq	24
96 00 50 76	50 mm	50 m	D	Masq	16

indoor
 outdoor
 UV-resistant
 high adhesive power
 high water resistance

Flat crepe masking tape
 for residual free removal on most smooth and light textured indoor surfaces; up to 7 days



- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Flat crepe masking tape
for residual free removal on most smooth and light textured indoor surfaces up to 14 days

Art.-Nr.	Width	Length	APG	Label	VE1
96 02 19 76	19 mm	50 m	0	Masq	48
96 02 25 76	25 mm	50 m	0	Masq	48
96 02 30 76	30 mm	50 m	0	Masq	32
96 02 38 76	38 mm	50 m	0	Masq	24
96 02 50 76	50 mm	50 m	0	Masq	24



- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Flat crepe masking tape - UV resistant
for residual free removal on most lacquered, stained, plastic, metal surfaces up to 7 days acrylic adhesive

Art.-Nr.	Width	Length	APG	Label	VE1
96 04 91 19	25 mm	50 m	D	EAN+i	1



- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Flat crepe masking tape - UV resistant
for residual free removal on most lacquered, stained, plastic, metal, painted surfaces up to 14 days acrylic adhesive

Art.-Nr.	Width	Length	APG	Label	VE1
96 04 50 19	50 mm	25 m	D	EAN+i	24
☎ 96 04 25 75	25 mm	50 m	D	Masq	9
☎ 96 04 35 75	38 mm	50 m	D	Masq	6



- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Flat crepe masking tape
for sensitiv surfaces like wallpapers, borders etc. with low adhesive strength for indoor use up to 3 days acrylic adhesive

Art.-Nr.	Width	Length	APG	Label	VE1
☎ 96 15 25 75	25 mm	50 m	D	Masq	9
☎ 96 15 38 75	38 mm	50 m	D	Masq	6



- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Special tape with high water resistance
UV resistance;
for flat edges; ideal for lacquering works; also on problematic surfaces like aluminium or tin plate to use in- or outdoor up to 90 days acrylic adhesive


Art.-Nr.	Width	Length	APG	Label	VE1
☎ 96 05 19 75	19 mm	50 m	D	Masq	48
☎ 96 05 25 75	25 mm	50 m	D	Masq	40
☎ 96 05 30 75	30 mm	50 m	D	Masq	32
☎ 96 05 38 75	38 mm	50 m	D	Masq	24
☎ 96 05 50 75	50 mm	50 m	D	Masq	20

PVC and PE masking tapes

1		Art.-Nr.	Width	Length	APG	Label	VE1
		96 10 50 19	50 mm	33 m	D	EAN +i	1
		96 10 38 19	38 mm	33 m	D	EAN +i	24
	<ul style="list-style-type: none"> <input checked="" type="radio"/> indoor <input checked="" type="radio"/> outdoor <input checked="" type="radio"/> UV-resistant <input type="radio"/> high adhesive power <input checked="" type="radio"/> high water resistance 	PVC tape embossed - UV resistant to use also for light mechanical protection at plastering works up to 14 days; easy tearing by hand natural rubber adhesive					
2		Art.-Nr.	Width	Length	APG	Label	VE1
		96 14 50 75	50 mm	33 m	D	Masq	36
	<ul style="list-style-type: none"> <input checked="" type="radio"/> indoor <input checked="" type="radio"/> outdoor <input checked="" type="radio"/> UV-resistant <input type="radio"/> high adhesive power <input checked="" type="radio"/> high water resistance 	PVC tape embossed - UV resistant to use also for light mechanical protection at plastering works up to 14 days; easy tearing by hand natural rubber adhesive					
3		Art.-Nr.	Width	Length	APG	Label	VE1
		96 11 50 76	50 mm	33 m	D	Masq	1
	<ul style="list-style-type: none"> <input checked="" type="radio"/> indoor <input checked="" type="radio"/> outdoor <input checked="" type="radio"/> UV-resistant <input type="radio"/> high adhesive power <input checked="" type="radio"/> high water resistance 	PVC tape smooth - UV resistant to use also for light mechanical protection at plastering works up to 14 days; resistant against soft chemicals natural rubber adhesive					
4		Art.-Nr.	Width	Length	APG	Label	VE1
		96 25 25 75	25 mm	25 m	D	Masq	12
	<ul style="list-style-type: none"> <input checked="" type="radio"/> indoor <input checked="" type="radio"/> outdoor <input checked="" type="radio"/> UV-resistant <input checked="" type="radio"/> high adhesive power <input checked="" type="radio"/> high water resistance 	Double side masking tape - UV resistant with extra high adhesive strength an adhesive free stripe on one side for easy removing; to use in- and outdoor up to 30 days acrylic adhesive					
5		Art.-Nr.	Width	Length	APG	Label	VE1
		96 12 50 75	50 mm	33 m	D	Masq	36
	<ul style="list-style-type: none"> <input checked="" type="radio"/> indoor <input checked="" type="radio"/> outdoor <input checked="" type="radio"/> UV-resistant <input type="radio"/> high adhesive power <input checked="" type="radio"/> high water resistance 	PE tape smooth - UV resistant to use also for light mechanical protection at plastering works up to 45 days acrylic adhesive					

Cloth tapes

1




0,30 mm

Art.-Nr.	Width	Length	APG	Label	VE1
96 22 50 76	50 mm	25 m	D	Masq	4

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Cloth tape - UV resistant
robust tape to use for coarse/rough surfaces;
up to 21 days
natural rubber adhesive

2




0,35 mm

Art.-Nr.	Width	Length	APG	Label	VE1
96 20 38 75	38 mm	25 m	D	Masq	6

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Cloth tape - UV resistant
extra robust tape to use for coarse/rough
surfaces, up to 14 days
natural rubber adhesive

3



0,22 mm


Art.-Nr.	Width	Length	APG	Label	VE1
96 18 44 76	44 mm	50 m	D	Masq	4

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Cloth tape - UV resistant
extra robust tape to use for coarse/rough
surfaces with poor adhesion up to 14 days;
also to use at high pressure water cleaner
and sandblasting works
natural rubber adhesive

Other covering material

4



0,05 mm

Art.-Nr.	Width	Length	APG	Label	VE1
96 97 25 10	25 cm	100 m	C	EAN	4
96 97 50 10	50 cm	100 m	C	EAN	2

- indoor
- outdoor
- UV-resistant
- high adhesive power
- high water resistance

Self adhesive cover foil - UV resistant
for quick masking of glass surfaces;
residual free removal from glass for
up to 90 days
acrylic adhesive

i Other non-painter tapes please find at the pages 62 and 68.

Prep products









▶ Preparing the work before the finishing steps can vary depending of surface quality and character.

Good surface preparation is the base for excellent finishing work such as painting or coating with other materials.

Therefore, we offer the required tools in next chapter.



Explanatory texts

	<p>ATTENTION! Keep away from children!</p>		<p>Width of scraper blade</p>
	<p>ATTENTION! Risk of injury!</p>		<p>Width of spatulas + pcs in packaging</p>
	<p>ATTENTION! Read the user manual before using.</p>		
	<p>Width of spatula</p>		
	<p>Used material - stainless steel</p>		<p>Width and thickness of knife blade</p>







Prep

the preparators



- 53 Hand sanders & Abrasives
- 54 Wire brushes
- 55 Spatulas and scrapers
- 55 Putty knives
- 57 Smoothing trowels
- 59 Dental spatulas and trowels
- 60 Caulking guns
- 61 Dry construction tools
- 62 Plaster bowls and mortar buckets
- 63 Snap-off knives & Replacement blades
- 64 Wallpapering accessory
- 64 Paint & Mortar mixers
- 64 Personal protection
- 66 Covering foils and sheets
- 68 Non-painter tapes
- 69 Other tools





Hand sanders


1		Art.-Nr.	Size	APG	Label	VE1
		93 32 60 10	115x60 mm	B	EAN	10
Sanding block - cork						
2		Art.-Nr.	Size	APG	Label	VE1
		93 33 01 19	225x100 mm	B	EAN+i	5
Hand sander - plastic with metal screw clips						
3		Art.-Nr.	Size	APG	Label	VE1
		93 33 00 19	228x82 mm	B	EAN+i	3
Hand sander - plastic with metal screw clips						
4		Art.-Nr.	Size	APG	Label	VE1
		93 34 02 10	228x82 mm	B	EAN	1
Hand sander - for telescopic pole plastic body with metal screw clips						


Abrasives

5		Art.-Nr.	Size	Grit	APG	Label	VE1
		93 19 04 10	230x280 mm	K40	D	EAN	50
		93 19 06 10	230x280 mm	K60	D	EAN	50
		93 19 08 10	230x280 mm	K80	D	EAN	50
		93 19 10 10	230x280 mm	K100	D	EAN	50
		93 19 12 10	230x280 mm	K120	D	EAN	50
		93 19 18 10	230x280 mm	K180	D	EAN	50
		93 19 24 10	230x280 mm	K240	D	EAN	50
		93 19 32 10	230x280 mm	K320	D	EAN	50
		93 19 40 10	230x280 mm	K400	D	EAN	50
Sanding cloth Aluminium - Oxide, waterproof							
6		Art.-Nr.	Size	Grit	APG	Label	VE1
		93 02 26 10	230x280 mm	K220	D	EAN	50
		93 02 46 10	230x280 mm	K240	D	EAN	50
		93 04 06 10	230x280 mm	K400	D	EAN	50
		93 06 06 10	230x280 mm	K600	D	EAN	50
		93 08 06 10	230x280 mm	K800	D	EAN	50
		93 01 06 10	230x280 mm	K1000	D	EAN	50
		93 01 26 10	230x280 mm	K1200	D	EAN	50
		93 02 06 10	230x280 mm	K2000	D	EAN	50
Sanding paper Aluminium - Oxide, waterproof							

1		Art.-Nr.	Grit	APG	Label	VE1
		93 30 53 10	K60 / coarse	C	EAN	5
		93 30 54 10	K100 / medium	C	EAN	5
		93 30 55 10	K220 / fine	C	EAN	5
<p>Sanding sponge for edges, profiles, multi-purpose using dimension 100x68x28 mm</p>						


2		Art.-Nr.	APG	Label	VE1
		93 16 99 10	C	EAN	8
<p>Sanding pad set - 3pcs coarse/medium/fine dimension 130x100x10 mm</p>					


3		Art.-Nr.	Grit	APG	Label	VE1
		93 30 63 10	K60 / coarse	C	EAN	5
		93 30 64 10	K100 / medium	C	EAN	5
		93 30 65 10	K220 / fine	C	EAN	5
<p>Sanding sponge pad for edges, profiles, multi-purpose using dimension 125x100x13 mm</p>						

4		Art.-Nr.	Size	Grit	APG	Label	VE1
		93 13 08 10	93x280 mm	K80	A	EAN	10
		93 13 10 10	93x280 mm	K100	A	EAN	10
		93 13 12 10	93x280 mm	K120	A	EAN	10
		93 13 18 10	93x280 mm	K180	A	EAN	10
<p>Sanding mesh with Silicium-carbide</p>							





Wire brushes

5		Art.-Nr.	Rows	APG	Label	VE1
		93 40 04 10	4 rows	B	EAN	12
		93 40 06 10	6 rows	B	EAN	12
		<p>Steel wire brush with wooden handle</p>				



6		Art.-Nr.	Rows	APG	Label	VE1
		93 42 04 10	4 rows	C	EAN	12
<p>Steel wire brush with plastic handle</p>						

7		Art.-Nr.	APG	Label	VE1
		93 41 00 10	B	EAN	10
<p>Multi-purpose steel wire brush plastic handle</p>					


Spatulas and scrapers


1		Art.-Nr.	Size	APG	Label	VE1
		91 54 60 10	60 mm	C	EAN	12
Multifunctional spatula chamfered stainless stiff blade, for roller cleaning, wall cleaning, rust removing, nail removing, paint can opening etc.						
2		Art.-Nr.	Size	APG	Label	VE1
		93 80 50 10	100 mm	C	EAN	10
Paint scraper - plastic						
3		Art.-Nr.	Size	APG	Label	VE1
		93 80 01 71	60 mm	B	Prep	10
Window scraper - plastic						
4		Art.-Nr.	Size	APG	Label	VE1
		93 81 01 10	40 mm	B	EAN	12
Window scraper - metall - with retractable blade						


Putty knives


5		Art.-Nr.	Size	APG	Label	VE1
		91 16 02 10	25 mm	C	EAN	12
		91 16 04 10	40 mm	C	EAN	12
		91 16 05 10	50 mm	C	EAN	12
		91 16 06 10	60 mm	C	EAN	12
		91 16 08 10	80 mm	C	EAN	12
		91 16 10 10	100 mm	C	EAN	12
		91 16 12 10	120 mm	C	EAN	12
Putty knife - flexible plastic handle in wooden look, steel blade						
6		Art.-Nr.	Size	APG	Label	VE1
		91 10 04 71	40 mm	B	Prep	10
		91 10 06 71	60 mm	B	Prep	10
		91 10 07 71	70 mm	B	Prep	10
		91 10 08 71	80 mm	B	Prep	10
		91 10 10 71	100 mm	B	Prep	10
		91 10 12 71	120 mm	B	Prep	10
		91 10 14 71	140 mm	B	Prep	10
Putty knife - semi flexible forged steel blade, double riveted wooden handle						


1		Art.-Nr.	Size	APG	Label	VE1
		91 71 20 71	20 mm	B	Prep	12
		91 71 40 71	40 mm	B	Prep	12
		91 71 50 71	50 mm	B	Prep	12
		91 71 60 71	60 mm	B	Prep	12
		91 71 80 71	80 mm	B	Prep	12
		91 71 99 71	100 mm	B	Prep	12
		91 71 12 71	120 mm	B	Prep	12
91 71 15 71	150 mm	B	Prep	12		
Putty knife - flexible 2-comp. plastic handle, stainless blade						

2		Art.-Nr.	APG	Label	VE1
		91 00 01 71	B	Prep	10
Filling knife set - plastic - 4pcs widths: 50/75/100/120mm					

3		Art.-Nr.	APG	Label	VE1
		91 00 04 71	B	Prep	10
Filling knife set - stainless steel - 4pcs widths: 50/80/100/120mm					

4		Art.-Nr.	Size	APG	Label	VE1
		91 02 16 10	160 mm	B	EAN	5
		91 02 18 10	180 mm	B	EAN	5
		91 02 20 10	200 mm	B	EAN	5
Square wall spatula - flexible - plastic handle and stainless steel blade						

5		Art.-Nr.	Size	APG	Label	VE1
		91 21 81 10	180 mm	C	EAN	10
Classic spatula - high flexible steel blade, wooden grip						

6		Art.-Nr.	Size	APG	Label	VE1
		91 40 27 10	270 mm	B	EAN	5
Special wall spatula adjustable assymetric flexibility trough second back blade, stainless steel blade; wooden handle						

1



Facade spatula
stainless steel, plastic handle

Art.-Nr.	Size	APG	Label	VE1
91 33 15 10	150 mm	C	EAN	1
91 33 25 10	250 mm	C	EAN	1
91 33 35 10	350 mm	C	EAN	1
91 33 45 10	450 mm	C	EAN	1
91 33 60 10	600 mm	C	EAN	1

Smoothing trowels

2



Smoothing trowel
plastic blade and handle; thickness 2 mm

Art.-Nr.	Size	APG	Label	VE1
92 11 01 10	280x140 mm	B	EAN	10

3



Smoothing trowel
polished steel blade, plastic handle

Art.-Nr.	Size	APG	Label	VE1
92 13 50 10	270x130 mm	B	EAN	1

4



Smoothing trowel
stainless steel blade, plastic handle

Art.-Nr.	Size	APG	Label	VE1
92 13 05 10	270x130 mm	B	EAN	5

5



Smoothing trowel
stainless steel blade, lacquered wooden handle

Art.-Nr.	Size	APG	Label	VE1
92 14 09 10	270x130 mm	B	EAN	5

6



Smoothing trowel Venetian form
stainless steel blade, wooden handle


Art.-Nr.	Size	APG	Label	VE1
92 14 00 10	200x90/80 mm	B	EAN	1

7



Swiss trowel
stainless steel, lacquered wooden handle

Art.-Nr.	Size	APG	Label	VE1
92 15 02 10	480x130 mm	B	EAN	5

1		Art.-Nr.	Size	APG	Label	VE1
		92 17 06 10	60 mm	B	EAN	10
		92 17 08 10	80 mm	B	EAN	10
		92 17 10 10	100 mm	B	EAN	10

Plasterer's spatula
stainless steel, lacquered wooden handle

2		Art.-Nr.	Size	APG	Label	VE1
		92 16 26 10	160 mm	B	EAN	10
		92 16 28 10	180 mm	B	EAN	10

Plasterer's trowel
stainless steel, lacquered wooden handle

3		Art.-Nr.	Size	APG	Label	VE1
		92 16 00 10	200 mm	B	EAN	10


Bricklayer's trowel Berliner form
steel blade, lacquered wooden handle

4		Art.-Nr.	Size	APG	Label	VE1
		92 18 19 10	140 mm	B	EAN	10


Plasterer's rounded end trowel
stainless steel, lacquered wooden handle

5		Art.-Nr.	Size	APG	Label	VE1
		92 19 02 10	8 mm	B	EAN	10
		92 19 01 10	10 mm	B	EAN	10






Pointing trowel
steel blade, lacquered wooden handle

6		Art.-Nr.	Size	Design	APG	Label	VE1
		92 18 00 10	60x60 mm	inside corner	B	EAN	10
		92 18 09 10	60x60 mm	outside corner	B	EAN	10



Corner trowel
stainless steel, lacquered wooden handle

7		Art.-Nr.	Size	APG	Label	VE1
		92 40 26 10	260x140 mm	C	EAN	1
		92 40 32 10	320x180 mm	C	EAN	1
		92 40 36 10	420x220 mm	C	EAN	1
		92 40 42 10	480x240 mm	C	EAN	1







Plastic board PU
for plastering works

1		Art.-Nr.	Size	Thickness	APG	Label	VE1
		92 21 40 10	280x140 mm	9 mm	C	EAN	1
Plastic board with dense rubber cover for tile grouting works							
2		Art.-Nr.	Size	Thickness	APG	Label	VE1
		92 31 40 10	280x140 mm	10 mm	C	EAN	1
Plastic board with brown felt cover for smoothing of plaster							
3		Art.-Nr.	Size	Thickness	APG	Label	VE1
		92 31 30 10	280x140 mm	10 mm	C	EAN	1
Plastic board with white felt cover for smoothing of plaster							
4		Art.-Nr.	Size	Thickness	APG	Label	VE1
		92 41 30 10	280x140 mm	9 mm	C	EAN	1
		92 41 40 10	280x140 mm	18 mm	C	EAN	1
Plastic board with rubber - sponge cover for smoothing of wet plaster							
5		Art.-Nr.	Size	Thickness	APG	Label	VE1
		92 44 00 10	280x140 mm	30 mm/coarse	C	EAN	1
		92 25 40 10	280x140 mm	30 mm/fine	C	EAN	1
Plastic board with hydrosponge cover simple cleaning, for rinsing of tiles after grouting							

Dented spatulas and trowels

6		Art.-Nr.	Size		APG	Label	VE1
		94 00 20 10	170x115 mm		C	EAN	10
Dented plastic spatula 3 different denting							
7		Art.-Nr.	Size	Denting	APG	Label	VE1
		94 06 04 10	270x130 mm	4x4 mm	B	EAN	5
		94 06 06 10	270x130 mm	6x6 mm	B	EAN	5
		94 06 08 10	270x130 mm	8x8 mm	B	EAN	5
		94 06 10 10	270x130 mm	10x10 mm	B	EAN	5
Dented trowel stainless steel, plastic handle							


Caulking guns

1		Art.-Nr. 94 10 20 10	Size ~320 ml	APG C	Label EAN	VE1 1
Caulking gun - indented rod lacquered steel, for standard cartridges						
2		Art.-Nr. 94 10 30 10	Size ~320 ml	APG B	Label EAN	VE1 1
Caulking gun - skeleton robust quality, for standard cartridges, lacquered steel						
3		Art.-Nr. 94 10 35 10	Size ~320 ml	APG C	Label EAN	VE1 1
Professional caulking gun skeleton without flyback, for standard cartridges, lacquered steel						
4		Art.-Nr. 94 10 42 10	Size ~320 ml	APG B	Label EAN	VE1 1
Professional caulking gun skeleton with long arm, for standard cartridges, lacquered metal						
5		Art.-Nr. 94 10 60 10 94 10 63 10	Size ~320 ml ~600 ml	APG B B	Label EAN EAN	VE1 1 1
Caulking gun closed detachable aluminium body, for cartridges and bags						
6		Art.-Nr. 94 10 99 10	APG B	Label EAN	VE1 1	
Set of 5 replacement parts for caulking gun closed						


Dry construction tools

1		Art.-Nr.	Size	APG	Label	VE1
		92 60 38 10	380 mm	A	EAN	1


Hard foam insulation handsaw

2		Art.-Nr.	APG	Label	VE1
		92 61 00 10	A	EAN	1


Styrofoam and drywall plane

3		Art.-Nr.	APG	Label	VE1
		92 61 10 10	A	EAN	1

Replacement blade for plane

4		Art.-Nr.	Size	APG	Label	VE1
		93 38 35 10	350x200 mm	B	EAN	1

**Styrofoam hand sander
with K16 sanding sheet**

5		Art.-Nr.	Size	APG	Label	VE1
		93 38 70 10	350x200 mm	B	EAN	1


**Replacement sanding sheet K16
not self sticking**

6		Art.-Nr.	Size	APG	Label	VE1
		92 62 15 10	150 mm	A	EAN	1

**Drywall handsaw
extra strong, hardened, sharpened denting**

7		Art.-Nr.	Size	APG	Label	VE1
		92 62 00 10	314 mm	A	EAN	1

**Multi-purpose drill - saw
use for drywall, wood, plastic materials**


1		Art.-Nr.	Width	Length	APG	Label	VE1
		96 31 20 10	48 mm	20 m	B	EAN	6
		96 31 50 10	48 mm	90 m	B	EAN	6

Glassfibre mesh tape
with acrylic glue for high adhesive strength
at jointing


2		Art.-Nr.	Width	Length	APG	Label	VE1
		96 32 50 10	50 mm	25 m	B	EAN	10

Nonwoven fiberglass tape
for drywall works; non adhesive

Plaster bowls and mortar buckets

3		Art.-Nr.	Design	APG	Label	VE1
		94 09 00 10	high shape	C	EAN	10
		94 09 10 10	flat shape	C	EAN	10

Plaster bowl - plastic

4		Art.-Nr.	Size	APG	Label	VE1
		84 82 99 10	12 Lit.	D	EAN	1
		84 81 20 10	20 Lit.	D	EAN	1

Plasterer's bucket - plastic


5		Art.-Nr.	Size	APG	Label	VE1
		84 81 04 10	40 Lit.	C	EAN	1
		84 81 06 10	65 Lit.	C	EAN	1
		84 81 09 10	90 Lit.	C	EAN	1

Mortar box - plastic


Snap-off knives

<p>1</p>  <p>Snap-off knife - plastic</p>	<p>Art.-Nr. 95 62 00 10</p> <p>Size 18 mm</p>	<p>APG B</p>	<p>Label EAN</p>	<p>VE1 48</p>
<p>2</p>  <p>Snap-off knife - plastic with metal guide</p>	<p>Art.-Nr. 95 69 00 10</p> <p>Size 18 mm</p>	<p>APG B</p>	<p>Label EAN</p>	<p>VE1 24</p>
<p>3</p>  <p>Snap-off knife - plastic with metal guide, 2K ergo grip, automatic blade fixing</p>	<p>Art.-Nr. 95 65 10 71</p> <p>Size 18 mm</p>	<p>APG B</p>	<p>Label Prep</p>	<p>VE1 10</p>
<p>4</p>  <p>Snap-off knife - Aluminium coast with metal guide, automatic blade fixing</p>	<p>Art.-Nr. 95 65 20 10</p> <p>Size 18 mm</p>	<p>APG B</p>	<p>Label EAN</p>	<p>VE1 24</p>
<p>5</p>  <p>Professional snap-off knife with metal guide, blade fixing knob - screw</p>	<p>Art.-Nr. 95 64 00 10</p> <p>Size 25 mm</p>	<p>APG B</p>	<p>Label EAN</p>	<p>VE1 6</p>


Replacement blades


<p>6</p>  <p>Replacement blade 10pcs in plastic box</p>	<p>Art.-Nr. 95 67 01 71</p> <p>Size 18 mm</p>	<p>APG A</p>	<p>Label Prep</p>	<p>VE1 10</p>
<p>7</p>  <p>Replacement blade extra wide 10pcs in plastic box</p>	<p>Art.-Nr. 95 67 80 10</p> <p>Size 25 mm</p>	<p>APG B</p>	<p>Label EAN</p>	<p>VE1 10</p>


Wallpapering accessory

1		Art.-Nr.	Size	APG	Label	VE1
		95 92 20 10	295 x 58 cm	D	EAN	1
<p>Pasting wallpapering table wooden working plate with measuring scale, steel frame</p>						


Paint & Mortar mixers


2		Art.-Nr.	Size	Type	APG	Label	VE1
		94 30 10 17	60/400 mm	10 kg	C	EAN+i	6
		94 30 15 17	85/400 mm	15 kg	C	EAN+i	3
		94 30 20 17	100/550 mm	20 kg	C	EAN+i	3
<p>Mixer for paints and low viscosity glues</p>							

3		Art.-Nr.	Size	Type	APG	Label	VE1
		94 37 15 17	80/400 mm	10 kg	B	EAN+i	6
		94 37 20 17	100/400 mm	20 kg	B	EAN+i	6
<p>Mixer for paints, glues, mortars</p>							

4		Art.-Nr.	Size	Type	APG	Label	VE1
		94 38 15 17	100/570 mm	15 kg	B	EAN+i	6
<p>Mixer for gypsum smoothers</p>							

Personal protection

5		Art.-Nr.	Qty	APG	Label	VE1
		98 61 41 72	3 pcs	A	Prep+i	5
<p>Moulded dust half mask FFP1 EN149:2001+A1:2009</p>						

6		Art.-Nr.	Qty	APG	Label	VE1
		98 62 50 72	2 pcs	A	Prep+i	5
<p>Moulded dust half mask FFP2 with breath out valve, EN149:2001+A1:2009</p>						

1



Art.-Nr.	APG	Label	VE1
98 64 00 17	B	EAN+i	6

Protective goggles
anti mist covered, EN 166:2001

2



Art.-Nr.	Size	APG	Label	VE1
98 68 01 17	XL (56/58)	B	EAN+i	10
98 68 02 17	XXL (60/62)	B	EAN+i	10

Painter's overall
with protective hood and ankle, arm, waist band

3



Art.-Nr.	Size	APG	Label	VE1
98 52 35 10	XL / size 10	C	EAN	12

Latex gloves - lightly roughed
CE cat. 1 / EN 420

4



Art.-Nr.	Size	APG	Label	VE1
98 55 10 10	XL / size 10	C	EAN	12

Cotton gloves - with latex dots
CE cat. 1 / EN 420


5




Art.-Nr.	Size	APG	Label	VE1
98 54 02 17	L / size 9	C	EAN+i	12
98 54 03 17	XL / size 10	C	EAN+i	12
98 54 04 17	XL / size 11	C	EAN+i	12

Painter's gloves
breathable polyester material with polyurethan covering
CE cat. 2 / EN 388

Covering foils and sheets

1	Art.-Nr.	Size	Thickness	APG	Label	VE1
	96 90 16 10	4x4 m	~0,004 mm	D	EAN	20
	96 90 50 10	4x12,5 m	~0,004 mm	D	EAN	10
	96 90 21 10	4x5 m	~0,007 mm	D	EAN	20
	96 94 05 10	4x5 m	~0,010 mm	D	EAN	20
	96 94 12 10	4x12,5 m	~0,010 mm	D	EAN	1

Covering foil sheet
HDPE transparent, folded

2	Art.-Nr.	Size	Thickness	APG	Label	VE1
	96 94 18 10	4x5 m	~0,018 mm	D	EAN	30
	96 89 03 10	4x5 m	~0,025 mm	D	EAN	10
	96 94 50 10	4x5 m	~0,030 mm	D	EAN	10
	96 94 60 10	4x12,5 m	~0,030 mm	D	EAN	10
	96 92 20 10	4x5 m	~0,040 mm	C	EAN	10
	96 92 12 10	4x12,5 m	~0,050 mm	C	EAN	5

Painting drop cloth
LDPE with regranulat, translucent, folded

3	Art.-Nr.	Size	Thickness	APG	Label	VE1
	96 96 35 10	4x5 m	~0,035 mm	C	EAN	10
	96 92 75 10	4x5 m	~0,075 mm	C	EAN	10

Painting drop cloth
LDPE with regranulat, dark/black, folded

4	Art.-Nr.	Size	Thickness	APG	Label	VE1
	96 90 70 10	2x50 m	~0,005 mm	D	EAN	1
	96 91 00 10	2x50 m	~0,010 mm	D	EAN	10

Covering foil sheet
HDPE transparent, folded

5	Art.-Nr.	Size	Thickness	APG	Label	VE1
	96 91 90 10	2x50 m	~0,050 mm	C	EAN	1

Covering foil sheet
LDPE transparent, folded

1



Art.-Nr.	Size	Thickness	APG	Label	VE1
96 96 97 10	10 cm/150 m	~0,017 mm	C	EAN	1
96 96 98 10	50 cm/190 m	~0,017 mm	D	EAN	1

Stretch foil
for covering, sealing, fixing works; transparent

2



Art.-Nr.	Size	Thickness	APG	Label	VE1
96 96 95 10	50 cm/190 m	~0,017 mm	C	EAN	1

Stretch foil
for covering, sealing, fixing works; black

3



Art.-Nr.	Size	APG	Label	VE1
96 99 15 19	105 cm/10 m	D	EAN + i	3
96 99 25 19	105 cm/20 m	D	EAN + i	2

Corrugated cover paper roll
for simple covering of big surfaces

4



Art.-Nr.	Size	Weight	APG	Label	VE1
94 26 10 17	1x10 m	220 g/m ²	C	EAN + i	1
94 26 20 17	1x20 m	220 g/m ²	C	EAN + i	1

Cover fleece - grey
slip resistant, solvent resistant and waterproof back, multipurpose usage

5



Art.-Nr.	Size	Weight	APG	Label	VE1
96 93 02 10	2x3 m	80 g/m ²	C	EAN	1
96 93 03 10	3x4 m	80 g/m ²	C	EAN	1
96 93 04 10	4x6 m	80 g/m ²	C	EAN	1
96 93 07 10	5x12 m	80 g/m ²	C	EAN	1

Tarpaulin cloth
with eyelets per each 1m, real size ~4% smaller than nominal size

6



Art.-Nr.	Size	Thickness	APG	Label	VE1
96 96 22 17	2,20x1,15 m	~0,100 mm	C	EAN + i	1

Protection door LDPE
with L shape zip door

Non-painter tapes

1		Art.-Nr.	Width	Length	APG	Label	VE1
		96 53 00 10	200 m	75 mm	B	EAN	1
<p>Warning/barrier tape pastic, red/white striped; non adhesive</p>							
2		Art.-Nr.	Size	Design	APG	Label	VE1
		96 50 48 10	48 mm/66 m	brown	D	EAN	6
		96 51 48 10	48 mm/66 m	transparent	D	EAN	6
<p>Package tape for simple fixing of boxes</p>							
3		Art.-Nr.	Width	Length	APG	Label	VE1
		96 21 48 10	48 mm	10 m	D	EAN	4
		96 21 50 19	48 mm	50 m	D	EAN+i	1
<p>Duct tape Extra strong all purpose tape designed to fix, bond, repair, mount and seal</p>							
4		Art.-Nr.	Width	Length	APG	Label	VE1
		96 48 50 19	50 mm	50 m	D	EAN+i	12
<p>Aluminium coated PP tape for drywall and insulation works</p>							
5		Art.-Nr.	Width	Length	APG	Label	VE1
		96 46 50 19	50 mm	50 m	D	EAN+i	1
		96 44 25 19	50 mm	50 m	 D	EAN+i	1
<p>Aluminium tape for use at isolating works</p> <p> flame and heat resistant as certified for DIN-4102-B1</p>							
6		Art.-Nr.	Width	Length	APG	Label	VE1
		96 40 48 71	38 mm	25 m	D	Prep	1
		96 40 50 71	50 mm	10 m	D	Prep	1
		96 40 51 71	50 mm	25 m	D	Prep	1
<p>Carpet fixing tape double side sticking, PP foil base</p>							
7		Art.-Nr.	Width	Length	APG	Label	VE1
		96 41 50 71	50 mm	25 m	D	Prep	1
<p>Carpet fixing tape double side sticking, cloth base</p>							

i Painter's masking tapes please find at the pages 44-49. Next non-painter's tapes please find at the page 62.

Other tools

1



Art.-Nr.	Width	Length	APG	Label	VE1
92 65 00 10	135 mm	310 mm	A	EAN	1

Put-on shoe plastic sole plate with nails
11 hardened nails, for easy walking on wet floor covering

2



Art.-Nr.	Size	Qty	APG	Label	VE1
98 20 03 10	18 cm	3x	B	EAN	10

Workman pencils - 3 pcs

3



Art.-Nr.	Pcs/roll	Thickness	APG	Label	VE1
96 95 00 10	25	~0,040 mm	C	EAN	1
96 95 10 10	25	~0,060 mm	C	EAN	1
96 95 25 10	25	~0,080 mm	C	EAN	8

Garbage bags on roll - 120 litres
reggranulated LDPE; blue

4



Art.-Nr.	Pcs/roll	Thickness	APG	Label	VE1
96 95 90 10	3	~0,090 mm	C	EAN	15

Garbage bags on roll - 120 litres
reggranulated LDPE; black

Index

▶ 1	2	231 030 35	305 011 29	5	516 681 21
100 067 9	200 087 751 7	231 035 35	321 010 36	500 051 17	516 681 161 21
100 087 7	200 215 7	231 040 35	321 015 36	500 111 19	516 681 171 21
100 385 9	200 215 553 7	232 020 37	321 020 36	500111-10 19	520 000 30
100 387 9	200 217 7	234 010 35	321 025 36	500 111 173 19	520 100 30
100 685 7	200 217 753 7	234 015 35	321 030 36	500 113 19	520 400 30
100 687 7	200 985 10	234 020 35	321 040 36	500 118 19	520 800 30
100 985 10	200 987 10	234 025 35	325 010 36	500 131 18	524 300 30
100 985 513 10	204 010 35	234 030 35	325 015 36	500131-10 18	540 200 30
100 987 10	204 015 35	234 035 35	325 020 36	500 131 173 18	540 300 30
100 987 721 26	204 020 35	234 040 35	325 025 36	500 231 16	551 010 28
101 045 24	204 025 35	234 075 35	325 030 36	500 231 173 16	552 404 483 26
106 695 11	204 030 35	235 010 36	325 040 36	500231173-2 16	570 231 171 27
106 695 513 11	206 020 34	235 015 36	351 010 28	500 233 16	572 401 171 26
106 697 11	206 030 34	235 020 36	384 010 36	500 238 16	573 321 171 27
106 697 713 11	206 040 34	235 025 36	384 015 36	500 341 18	580 040 000 46
110 120 38	206 050 34	235 030 36	384 020 36	500 341 171 18	580 060 000 46
110 160 38	206 060 34	235 040 36	384 025 36	500 761 19	580 192 000 46
110 200 38	206 070 34	236 010 35	384 030 36	500 901 18	580 194 000 46
130115-415 13	206 100 34	236 015 35	384 035 36	500 903 18	580 196 000 46
130 117 13	211 030 33	236 020 35	384 040 36	500 961 19	
130135-415 11	211 040 33	236 025 35		500 961 173 19	
130 137 11	211 050 33	236 030 35	4	502 401 14	
130 235 13	211 060 33	236 035 35	400 065 9	502401-10 14	
130 237 13	211 070 33	236 040 35	400 067 9	502 401 173 15	
130345-415 10	211 100 33	236 075 35	400 087 8	502 403 14	
130347-415 10	213 006 40	240 010 34	400 157 14	502 404 14	
130 507 8	213 010 40	240 015 34	400 387 9	502404-10 14	
130 507 713 8	214 003 34	240 020 34	400 437 10	502 408 14	
130 745 9	214 020 33	240 025 34	400 917 11	502 421 15	
130 747 9	214 030 33	240 030 34	400 985 10	502 601 15	
130765-415 12	214 040 33	240 040 34	400 987 10	502 621 15	
130767-415 12	214 050 33	240 040 34	400 987 713 10	502 681 15	
130 767 713 12	214 060 33	240 130 37	406 695 12	502 801 23	
130 965 13	214 070 33	240 145 37	406 697 12	503 301 15	
130 967 13	214 080 33	240 160 37	407 700 30	503 303 15	
136 675 8	214 080 33	240 217 753 24	411 010 37	503 304 15	
136 675 513 8	214 100 33	240 987 753 25	411 015 37	503 311 15	
136 677 8	215 310 39	241 310 39	411 020 37	503 321 16	
136 677 713 8	215 312 39	241 312 39	411 025 37	503 321 173 16	
136 807 13	218 166 40	241 414 39	411 030 37	503 323 16	
140 687 713 24	218 177 40	250 177 39	419 025 41	503 381 16	
141 230 713 25	218 188 40	250 215 553 24	428 015 41	506 401 17	
150 685 513 24	218 189 40	250 985 553 25	438 030 38	506 661 17	
151 010 28	218 200 40		463 708 41	506 661 173 17	
151 230 513 25	218 515 40		463 712 41	506 681 18	
160 137 11	219 100 40		463 716 41	506 681 161 19	
160 917 11	219 108 39		463 720 41	506 681 171 19	
161 010 28	228 030 35		464 808 41	510 051 20	
166 687 12	228 040 35	3	464 812 41	510 053 20	
166 687 713 12	228 050 35	300 065 9	483 010 28	510 111 22	
171 010 28	228 060 35	300 067 9		510 113 22	
190 555 24	228 070 35	300 087 8		510 131 21	
190 797 13	228 080 35	300 087 721 26		510 231 20	
192 605 14	229 100 41	300087721-2 26		510 233 20	
192 607 14	229 102 41	300 437 10		510 341 21	
192 805 23	229 104 41	300 437 723 26		510 761 21	
192 807 23	230 010 37	300 915 11		510 901 21	
193 007 23	230 015 37	300 917 11		510 903 21	
193 327 14	230 020 37	300 985 10		510 961 22	
	230 025 37	300 987 10		513 011 28	
	231 010 35	300 987 721 26		516601N 23	
	231 015 35	302 305 10		516 671 20	
	231 020 35	302 307 10		516 671 173 20	
	231 025 35				
					6
					619 011 29
					7
					700 065 9
					700 067 9
					700 437 10
					700 917 11
					700 987 10
					706 697 12
					706 697 713 12
					713 011 28
					751 010 28
					8
					800 002 23
					800 004 23
					800 060 22
					800 060 057 22
					800 200 057 22
					800 341 001 23
					800 910 057 22
					801 025 29
					803 024 28
					811 018 13
					81 12 30 10 36
					81 12 40 10 36
					81 12 50 10 36

Index


81 12 60 10	36	84 52 25 10	9	91 10 06 71	55	93 01 26 10	53	95 65 10 71	63	96 74 55 76	45
81 12 80 10	36	84 52 26 10	9	91 10 07 71	55	93 02 06 10	53	95 65 20 10	63	96 78 50 75	45
81 12 99 10	36	84 53 19 10	9	91 10 08 71	55	93 02 26 10	53	95 67 01 71	63	96 78 60 75	45
81 20 20 10	33	84 53 26 10	9	91 10 10 71	55	93 02 46 10	53	95 67 80 10	63	96 80 56 76	45
81 20 30 10	33	84 58 27 19	13	91 10 12 71	55	93 04 06 10	53	95 69 00 10	63	96 81 10 76	45
81 20 40 10	33	84 79 01 10	30	91 10 14 71	55	93 06 06 10	53	95 92 20 10	64	96 81 40 76	45
81 20 50 10	33	84 80 11 10	29	91 16 02 10	55	93 08 06 10	53	96 00 01 10	46	96 82 10 76	45
81 20 60 10	33	84 80 18 10	29	91 16 04 10	55	93 13 08 10	54	96 00 02 10	46	96 82 70 76	45
81 20 70 10	33	84 80 25 10	29	91 16 05 10	55	93 13 10 10	54	96 00 03 10	46	96 89 03 10	66
81 26 20 10	33	84 80 30 10	29	91 16 06 10	55	93 13 12 10	54	96 00 04 10	46	96 90 16 10	66
81 26 25 10	33	84 81 04 10	62	91 16 08 10	55	93 13 18 10	54	96 00 05 10	46	96 90 21 10	66
81 26 35 10	33	84 81 06 10	62	91 16 10 10	55	93 16 99 10	54	96 00 19 76	46	96 90 50 10	66
81 26 50 10	33	84 81 09 10	62	91 16 12 10	55	93 19 04 10	53	96 00 25 76	46	96 90 70 10	66
81 26 60 10	33	84 81 20 10	62	91 21 81 10	56	93 19 06 10	53	96 00 30 76	46	96 91 00 10	66
81 26 75 10	33	84 82 08 10	29	91 33 15 10	57	93 19 08 10	53	96 00 38 76	46	96 91 90 10	66
81 26 99 10	33	84 82 14 10	29	91 33 25 10	57	93 19 10 10	53	96 00 50 76	46	96 92 12 10	66
81 28 03 10	33	84 82 44 10	29	91 33 35 10	57	93 19 12 10	53	96 02 19 76	47	96 92 20 10	66
81 28 04 10	33	84 82 99 10	62	91 33 45 10	57	93 19 18 10	53	96 02 25 76	47	96 92 75 10	66
81 28 05 10	33	84 83 27 10	29	91 33 60 10	57	93 19 24 10	53	96 02 30 76	47	96 93 02 10	67
81 28 07 10	33	84 83 28 10	29	91 40 27 10	56	93 19 32 10	53	96 02 38 76	47	96 93 03 10	67
81 31 30 19	34	84 83 29 10	29	91 54 60 10	55	93 19 40 10	53	96 02 50 76	47	96 93 04 10	67
81 31 40 19	34	85 90 19 10	24	91 71 12 71	56	93 30 53 10	54	96 04 25 75	47	96 93 07 10	67
81 31 50 19	34	85 90 23 10	24	91 71 15 71	56	93 30 54 10	54	96 04 35 75	47	96 94 05 10	66
81 31 70 19	34	85 94 75 10	24	91 71 20 71	56	93 30 55 10	54	96 04 50 19	47	96 94 12 10	66
81 31 99 19	34	85 95 45 10	25	91 71 40 71	56	93 30 63 10	54	96 04 91 19	47	96 94 18 10	66
81 62 30 10	37	86 30 10 10	18	91 71 50 71	56	93 30 64 10	54	96 05 19 75	47	96 94 50 10	66
81 62 40 10	37	86 50 10 10	16	91 71 60 71	56	93 30 65 10	54	96 05 25 75	47	96 94 60 10	66
81 62 50 10	37	86 50 40 10	16	91 71 80 71	56	93 32 60 10	53	96 05 30 75	47	96 95 00 10	69
81 62 60 10	37	86 50 80 10	16	91 71 99 71	56	93 33 00 19	53	96 05 38 75	47	96 95 10 10	69
81 62 70 10	37	86 51 10 10	20	92 11 01 10	57	93 33 01 19	53	96 05 50 75	47	96 95 25 10	69
81 66 25 10	38	86 58 10 10	20	92 13 05 10	57	93 34 02 10	53	96 10 38 19	48	96 95 90 10	69
81 66 35 10	38	86 67 10 10	17	92 13 50 10	57	93 38 35 10	61	96 10 50 19	48	96 96 22 17	67
81 66 50 10	38	86 70 05 10	14	92 14 00 10	57	93 38 70 10	61	96 11 50 76	48	96 96 35 10	66
81 66 60 10	38	86 70 11 10	14	92 14 09 10	57	93 40 04 10	54	96 12 50 75	48	96 96 95 10	67
81 66 75 10	38	86 70 40 10	14	92 15 02 10	57	93 40 06 10	54	96 14 50 75	48	96 96 97 10	67
81 68 50 10	37	86 82 99 10	23	92 16 00 10	58	93 41 00 10	54	96 15 25 75	47	96 96 98 10	67
834 023	23	876 024	12	92 16 26 10	58	93 42 04 10	54	96 15 38 75	47	96 97 25 10	49
83 68 07 10	39	88 02 20 10	41	92 16 28 10	58	93 80 01 71	55	96 18 44 76	49	96 97 50 10	49
83 68 10 10	39	890 120	38	92 17 06 10	58	93 80 50 10	55	96 20 38 75	49	96 99 15 19	67
83 68 12 10	39	890 160	38	92 17 08 10	58	93 81 01 10	55	96 21 48 10	68	96 99 25 19	67
83 68 14 10	39	890 200	38	92 17 10 10	58	94 00 20 10	59	96 21 50 19	68	98 20 03 10	69
83 68 15 10	39	892 020	38	92 18 00 10	58	94 06 04 10	59	96 22 50 76	49	98 52 35 10	65
83 80 07 10	39	892 024	38	92 18 09 10	58	94 06 06 10	59	96 25 25 75	48	98 54 02 17	65
83 80 08 10	39	892 026	38	92 18 19 10	58	94 06 08 10	59	96 31 20 10	62	98 54 03 17	65
83 82 75 10	40			92 19 01 10	58	94 06 10 10	59	96 31 50 10	62	98 54 04 17	65
83 85 10 10	40			92 19 02 10	58	94 09 00 10	62	96 32 50 10	62	98 55 10 10	65
83 85 12 10	40			92 21 40 10	59	94 09 10 10	62	96 40 48 71	68	98 61 41 72	64
83 85 35 10	40			92 25 40 10	59	94 10 20 10	60	96 40 50 71	68	98 62 50 72	64
83 87 70 19	40			92 31 30 10	59	94 10 30 10	60	96 40 51 71	68	98 64 00 17	65
84 02 18 10	28			92 31 40 10	59	94 10 35 10	60	96 41 50 71	68	98 68 01 17	65
84 02 25 10	28			92 40 26 10	58	94 10 42 10	60	96 44 25 19	68	98 68 02 17	65
84 15 18 10	7			92 40 32 10	58	94 10 60 10	60	96 46 50 19	68		
84 15 25 10	7	900 000 002	27	92 40 36 10	58	94 10 63 10	60	96 48 50 19	68		
84 21 25 10	14	900 000 005	27	92 40 42 10	58	94 10 99 10	60	96 50 48 10	68		
84 26 18 19	13	900 000 009	34	92 41 30 10	59	94 26 10 17	67	96 51 48 10	68		
84 26 25 19	13	900 000 011	25	92 41 40 10	59	94 26 20 17	67	96 53 00 10	68		
84 42 18 10	8	900 000 012	25	92 44 00 10	59	94 30 10 17	64	96 69 10 10	45		
84 42 25 10	8	900 000 073	25	92 60 38 10	61	94 30 15 17	64	96 69 30 10	45		
84 50 18 10	9	900 000 153	25	92 61 00 10	61	94 30 20 17	64	96 71 80 76	45		
84 50 25 10	9	91 00 01 71	56	92 61 10 10	61	94 37 15 17	64	96 74 11 76	45		
84 51 18 10	9	91 00 04 71	56	92 61 10 10	61	94 37 20 17	64	96 74 14 76	45		
84 51 25 10	9	91 02 16 10	56	92 62 00 10	61	94 38 15 17	64	96 74 21 76	45		
84 52 18 10	9	91 02 18 10	56	92 62 15 10	61	95 62 00 10	63	96 74 24 76	45		
84 52 19 10	9	91 02 20 10	56	92 65 00 10	69	95 64 00 10	63	96 74 27 76	45		
		91 10 04 71	55	93 01 06 10	53						

9

kana[®]



kana[®]



masq[®]



prep[®]



Ciret

success with painting tools

Ciret s.r.o.
Matějkova 2267
39301 Pelhřimov
Česká republika

tel.: +420 565 327 582
fax: +420 565 327 581
e-mail: info@ciret.cz
www.ciret.cz